




Industrial Product Portfolio

A Legacy of Performance. A Future of Confidence.

Columbia
LIGHTING

Current



Industrial Lighting Product Portfolio Guide

What's Inside



Columbia has distinguished itself since 1897 as a pioneer in the lighting industry. As a producer of a wide variety of specification and commercial-grade luminaires, Columbia Lighting is a recognized leader in providing quality and innovation at competitive prices.


Visit the Columbia website for full product information, spec sheets & more!

Contact your Current representative for additional engineered-to-order capabilities.



		VALUE	COMMERCIAL	
				
		CRN2	Utilibay™ UTB2	Savvano™ SAV
FEATURE#S	Features	+	++	++
	Sizes	Ø 11.8" / 14.2"	Ø 16"	Ø 16" / 22"
	Mounting Height	Up to 40'	Up to 40'	Up to 30'
	Width	-	-	-
	Lumens	15,200–38,000	12,000–30,000	8,000–28,000
	Wattage	100–240W	84–190W	72–213W
	Efficacy (Max)	145–178	106–162	103–123
	Voltage	120–347V	120–277V, 347V, 480V	120–277V, 347V, 480V
	CRI	80	70, 80, 90	80, 90
	CCT	3500K, 4000K, 5000K	3000K, 3500K, 4000K, 5000K	2700K, 3000K, 3500K, 4000K, 5000K
	Switchable Technology	Switchable Lumen, CCT, & Distribution	-	-
	Color/Finish	White, Black	Black, Gray, White	White, Gray, Black, Red, Blue, Champagne, Green, Currant, Wine
	Lens	Polycarbonate	Acrylic, Aluminum	Acrylic
	Distribution	Wide, Medium, Narrow	Wide	Wide
	Uplight	-	No	No
	Temperature Range	- 40° to 55°	- 40° to 65° C	- 40° to 50° C
INTEGRATED CONTROLS	Emergency Battery Pack	40W Field Installable	10W	-
	Ratings	IK10, IP65, Wet, NSF2 Non - Food Zone, NEMA 4X, IK07	Damp Location	Damp Location
	DLC® DesignLights Consortium	Yes	-	-
	Buy America(n) Solutions	-	-	-
APPLICATIONS	Standalone	Yes	Yes	Yes
	NX Networked: Wireless	-	Yes	-
	NX Networked: Wired	-	Yes	-
	NX Connect	-	-	-
	Application	Garden Center, Food Prep Areas, Auto Services, Car Wash	Arena, Gymnasium, Auditorium, Convention Center, Retail, Manufacturing	Lobbies, Show Room, Auditorium, Gymnasium, Cafetorium



		VALUE	COMMERCIAL	
				
		CVT	LXEN	LXEM / LXEP
		tradeSELECT [®]		tradeSELECT [®] (LXEM Only)
FEATURE#S	Features	+	++	++
	Sizes	4' / 8'	4'	2' / 4' / 8'
	Mounting Height	Up to 15'	Up to 10'	Up to 25'
	Width	-	4.5"	6.75"
	Lumens	5,000–12,000	2,000–4,200	2,100–22,400
	Wattage	38–90W	15W, 30W	20–183W
	Efficacy (Max)	Up to 148	130–150	99–147
	Voltage	120–347V	120–277V	120–277V, 347V, 480V
	CRI	80	80	80
	CCT	3500K, 4000K, 5000K	3000K, 3500K, 4000K, 5000K	3000K, 3500K, 4000K, 5000K
	Switchable Technology	Switchable Lumen & CCT	-	-
	Color/Finish	-	-	-
	Lens	Frosted Polycarbonate	Acrylic	Acrylic, Polycarbonate
	Distribution	-	Lambertian	Lambertian (LXEM), Very Wide (LXEP)
	Uplight	-	-	-
	Temperature Range	- 40° to 45° C	- 20° to 50° C	- 20° to 50° C
	Emergency Battery Pack	-	-	10W
INTEGRATED CONTROLS	Ratings	IP65, Wet, NSF2 Non - Food Zone, NEMA 4X	IP65,66,67; Wet, UL Sanitation	IP65,66,67; Wet, UL Sanitation
	DLC [®] DesignLights Consortium	Standard	Yes	Yes
	Buy America(n) Solutions	-	Yes (Option)	Yes (Option)
	Standalone	-	-	Yes
APPLICATIONS	NX Networked: Wireless	-	-	-
	NX Networked: Wired	-	-	-
	NX Connect	-	-	-
	Application	Manufacturing, Transit Stations, Cold Storage, Food Processing, Car Washes, Washdown Environments, Prisons	Manufacturing, Transit Stations, Cold Storage, Food Processing, Car Washes, Under-canopy, Garden Centers	Manufacturing, Transit Stations, Tunnels, Cold Storage, Food Processing, Car Washes, Parking Garages, Chemical Facilities, Washdown Environments, Prisons

		VALUE	COMMERCIAL
			
		CRN2	C65
		tradeSELECT [®]	
FEATURES	Features	+	++
	Sizes	Ø 11.8" / 14.2"	18" / 23"
	Mounting Height	Up to 40'	Up to 40'
	Width	-	-
	Lumens	15,200–38,000	16,000–33,000
	Wattage	100–240W	108–255W
	Efficacy (Max)	145–178	132–155
	Voltage	120–347V	120–347V
	CRI	80	80
	CCT	3500K, 4000K, 5000K	3500K, 4000K, 5000K
	Switchable Technology	Switchable Lumen & CCT & Distribution	Switchable Lumen & CCT
	Color/Finish	White, Black	White
	Lens	Polycarbonate	Polycarbonate
	Distribution	Wide, Medium, Narrow	Medium, Wide
	Uplight	-	-
	Temperature Range	- 40° to 55° C	- 40° to 65° C
	Emergency Battery Pack	40W Field Installable	20W
INTEGRATED CONTROLS	Ratings	IK10, IP65, Wet, NSF2 Non - Food Zone, NEMA 4X, IK07	IK10, IP65, Wet, NSF2 Non - Food Zone, NEMA 4X
	DLC [®] DesignLights Consortium	Yes	Yes
	Buy America(n) Solutions	-	-
	Standalone	Yes	Yes
APPLICATIONS	NX Networked: Wireless	-	-
	NX Networked: Wired	-	-
	NX Connect	-	-
	Application	Warehouse, Manufacturing, Garden Center, Food Prep Areas, Mechanics/Garage, Car Washes	Manufacturing, Industrial Heavy Machinery, Warehouse / Service Bays, Ice Rinks / Gymnasium, Under Canopy / Airport Hangars— Any Space Openly Connected to Outdoor, Cold Storage, Natatoriums, Food Service

Always On.

At Current®, we're inspired by the people who design, craft, live, work & play in spaces. Our award-winning family of brands is dedicated to offering bold integrated solutions, while providing the essential tools for designing connected lighting environments, both indoors and out.

Only Current can provide reliable performance, responsive service, and the uncompromising quality you expect from an industry leader every time, always.

Our Vertical Markets



Commercial
Stores, Offices, Hotels, Supermarkets, Restaurants, Healthcare, Education



Industrial
Manufacturing Centers, Warehouses, Food Processing Plants



Municipal
Roadways, Residential Streets, Shared Spaces



Specialty
Signage, Transportation, Rail, Refrigerated Display Lighting

Our Solutions



LED Lighting

Optimize utilities to end excess energy spending, promote safety and improve aesthetics



Controls, Sensors & IoT Solutions

Improve space utilization and increase productivity, and find actionable insights with IoT



Energy Management Systems

Establish more sustainable energy practices across an enterprise


Current

Industry-leading portfolio of innovative product and tech brands.



Current's HLI Brands portfolio of products represents lighting and control's most respected brands, ranging from architectural to complex spaces, outdoor to indoor, life safety, and more.

The HLI Brands portfolio provides customers innovative products and a proven record of quality and results—a complete package ready to fulfill the needs of any spec.





Current - HLI Brands

701 Millennium Blvd.
Greenville, SC 29607

currentlighting.com/Columbia

© 2026 HLI Solutions, Inc. All rights reserved. Information and specifications subject to change without notice.
All values are design or typical values when measured under laboratory conditions.

(Rev 08/10/25)

COL_Ind-Portfolio_Brochure_R04
