

# SLING PIVOT



# Always On.

At Current®, we're inspired by the people who design, craft, live, work & play in spaces. Our award-winning family of brands is dedicated to offering bold integrated solutions, while providing the essential tools for designing connected lighting environments, both indoors and out.

Only Current can provide reliable performance, responsive service, and the uncompromising quality you expect from an industry leader every time, always.

## Our Vertical Markets



### Commercial

Stores, Offices, Hotels, Supermarkets, Restaurants, Healthcare, Education



### Industrial

Manufacturing Centers, Warehouses, Food Processing Plants



### Municipal

Roadways, Residential Streets, Shared Spaces



### Specialty

Signage, Transportation, Rail, Refrigerated Display Lighting

## Our Solutions



### LED Lighting

Optimize utilities to end excess energy spending, promote safety and improve aesthetics



### Controls, Sensors & IoT Solutions

Improve space utilization and increase productivity, and find actionable insights with IoT



### Energy Management Systems

Establish more sustainable energy practices across an enterprise


# Current

## Industry-leading portfolio of innovative product and tech brands.



Current's HLI Brands portfolio of products represents lighting and control's most respected brands, ranging from architectural to complex spaces, outdoor to indoor, life safety, and more.

The HLI Brands portfolio provides customers innovative products with and a proven record of quality and results—a complete package ready to fulfill the needs of any spec.



# Versatile Building Mount Luminaire in Two Sizes




Rotatable 30°  
for customized  
target illumination

Back View

Open View



Conduit hubs  
on all sides



SGW CCT  
Switchable  
3K, 4K, 5K



Integral level  
system in fixture

Emergency 7W battery back up available  
(30-70W version only)



SGW1-50-LSCS-UNVC  
SGW1-70-LSCS-UNVC

SGW2-120-LSCS-UNVC

**SLING** PIVOT 


EXO's SGS Sling Pivot luminaire is available in two size options. Sling features a dense optical array which provides reduced pixilation and increased visual comfort without compromising performance. Switchable wattage and CCT allows you to customize your lighting design to meet application requirements in the field. Sling Pivot brings a value solution for building mount applications for perimeter lighting and general security.

## PERFORMANCE

For outdoor applications, a luminaire that is wattage switchable, CCT switchable, and beam angle adjustable provides versatile lighting control to suit changing environmental conditions. It allows users to fine-tune brightness levels, select appropriate color temperatures for visibility or ambiance, and direct light precisely where needed—whether illuminating pathways, parking lots, or building facades. This adaptability enhances energy efficiency and ensures optimal performance across diverse outdoor settings.


### SGW1-50

SGW1-50 – 30W




Mounting Height: 10 ft  
Scale: 25 ft

SGW1-50 – 40W



Mounting Height: 10 ft  
Scale: 25 ft

SGW1-50 – 50W




Mounting Height: 10 ft  
Scale: 25 ft



SGW CCT Switchable **3K, 4K, 5K**


### SGW1-70

SGW1-70 – 30W




Mounting Height: 10 ft  
Scale: 25 ft

SGW1-70 – 50W



Mounting Height: 10 ft  
Scale: 25 ft

SGW1-70 – 70W




Mounting Height: 10 ft  
Scale: 25 ft



SGW CCT Switchable **3K, 4K, 5K**


### SGW2-120

SGW2-120 – 80W




Mounting Height: 10 ft  
Scale: 25 ft

SGW2-120 – 100W



Mounting Height: 10 ft  
Scale: 25 ft

SGW2-120 – 120W



Mounting Height: 10 ft  
Scale: 25 ft



SGW CCT Switchable **3K, 4K, 5K**




# SLING PIVOT ORDERING GUIDE


Housing	Catalog Number	Wattage	Voltage	Dist. Type	Delivered Lumens	LPW	CCT	Finish	Includes
Small	<b>SGW1-50-LSCS-UNVC-PC</b>	30-50W	120-347V	4	4400-7230	136-153	3000K,	Dark Bronze	Photocontrol
Small	<b>SGW1-70-LSCS-UNVC-PC</b>	30-70W			4500-9477	127-153	4000K,		
Large	<b>SGW2-120-LSCS-UNVC-PC</b>	80-120W			11,699-17,152	128-153	5000K		
Small	<b>SGW1-70-LSCS-UNVC-PC-EH</b>	30-70W	120-347V	4	4500-9477	127-153	3000K, 4000K, 5000K	Dark Bronze	Photocontrol 7W Battery Backup



## SGW1-50 & SGW1-70



## SGW2-120



# SLING FAMILY



**SLING**  
SGS

**SLING**  
AREA

**SLING**  
PIVOT

**SLING**  
CANOPY

**SLING**  
DUSK-TO-DAWN

**SLING**  
FLOODLIGHT

**SLING**  
BOLLARD



# Current

## Current - HLI Brands

701 Millennium Blvd.  
Greenville, SC 29607

[currentlighting.com/exo](http://currentlighting.com/exo)

© 2024 HLI Solutions, Inc. All rights reserved. Information and specifications subject to change without notice. All values are design or typical values when measured under laboratory conditions.

Rev 09/26/25

EXO\_SING\_SGV\_Arc\_A&L\_BROCHURE\_F01