




REFERENCE NUMBER	DESCRIPTION	PAGE NUMBER
A	Drivers	2
B	Accessories & Starter Kits	2-3
C	LED Light Engine	3-5

Lumination® LIS Series

LED Luminaire Replacement Guide

REPLACEMENT LIS DRIVERS		
PRODUCT DESCRIPTION	MATERIAL DESCRIPTION	MATERIAL
4200 lumen, Class2, 0-10V, 120-277V, 80CRI	RK-LDS-B-LE-04-X0-8050-LX	93057939
4200 lumen, Class2, 0-10V, 120-277V, 90CRI	RK-LDS-B-LE-04-X0-8040-LX	93057938
5200 lumen, Class2, 0-10V, 120-277V, 80CRI	RK-LDS-B-LE-04-X0-8035-LX	93057937
5200 lumen, Class2, 0-10V, 120-277V, 90CRI	RK-LDS-B-LE-04-X0-8030-LX	93057936
6250 lumen, Class2, 0-10V, 120-277V, 80CRI	RK-LDS-B-LE-04-X0-9035-LX	93066340
6500 lumen, Class2, 0-10V, 120-277V, 80CRI	RK-LDS-B-LE-04-X0-9040-LX	93066341
6500 lumen, Class2, 0-10V, 120-277V, 90CRI	RK-LDS-B-LE-04-X0-8050-WW	93057931
10400 lumen, Class2, 0-10V, 120-277V, 80CRI	RK-LDS-B-LE-04-X0-8040-WW	93057930
10400 lumen, Class2, 0-10V, 120-277V, 90CRI	RK-LDS-B-LE-04-X0-8035-WW	93057929
8400 lumen, Class2, 0-10V, 120-277V, 80CRI	RK-LDS-B-LE-04-X0-8030-WW	93057928
8400 lumen, Class2, 0-10V, 120-277V, 90CRI	RK-LDS-B-LE-04-X0-9035-WW	93066344
12000 lumen, Class2, 0-10V, 120-277V, 80CRI	RK-LDS-B-LE-04-X0-9040-WW	93066345
6500 lumen, Class1, 0-10V, 120-277V, 80CRI	RK-LDS-B-LE-04-X0-8050-NW-BLK	93057923
8500 lumen, Class1, 0-10V, 120-277V, 80CRI	RK-LDS-B-LE-04-X0-8040-NW-BLK	93057922
10500 lumen, Class1, 0-10V, 120-277V, 80CRI	RK-LDS-B-LE-04-X0-8035-NW-BLK	93057921
12000 lumen, Class1, 0-10V, 120-277V, 80CRI	RK-LDS-B-LE-04-X0-8030-NW-BLK	93057920
13000 lumen, Class1, 0-10V, 120-277V, 80CRI	RK-LDS-B-LE-04-X0-9035-NW-BLK	93066358
17000 lumen, Class1, 0-10V, 120-277V, 80CRI	RK-LDS-B-LE-04-X0-9040-NW-BLK	93066359
21000 lumen, Class1, 0-10V, 120-277V, 80CRI	RK-LDS-B-LE-04-X0-8050-NW-WHT	93057895
24000 lumen, Class1, 0-10V, 120-277V, 80CRI	RK-LDS-B-LE-04-X0-8040-NW-WHT	93057894
4200 lumen, Class1, 0-10V, 120-277V, 80CRI, High Efficiency	RK-LDS-B-LE-04-X0-8035-NW-WHT	93057893
5200 lumen, Class1, 0-10V, 120-277V, 80CRI, High Efficiency	RK-LDS-B-LE-04-X0-8030-NW-WHT	93057892
8400 lumen, Class1, 0-10V, 120-277V, 80CRI, High Efficiency	RK-LDS-B-LE-04-X0-9035-NW-WHT	93066362
10400 lumen, Class1, 0-10V, 120-277V, 80CRI, High Efficiency	RK-LDS-B-LE-04-X0-9040-NW-WHT	93066363
4200 lumen, Class2, 0-10V, 347V, 80CRI	RK-LXX-C-PS-50-C2-0580-XX	93062392
4200 lumen, Class2, 0-10V, 347V, 90CRI	PSU KIT, CASS2 50W 0-10V, 645MA	93027859
5200 lumen, Class2, 0-10V, 347V, 80CRI	RK-LXX-C-PS-50-C2-0710-XX	93062394
5200 lumen, Class2, 0-10V, 347V, 90CRI	PSU KIT, CLASS2 50W 0-10V, 815MA	93027861
6250 lumen, Class2, 0-10V, 347V, 80CRI	RK-LXX-C-PS-50-C2-0825-XX	93062393
6500 lumen, Class2, 0-10V, 347V, 80CRI	RK-LXX-C-PS-90-C2-1140-XX	93062395
6500 lumen, Class2, 0-10V, 347V, 90CRI	PSU KIT, CLASS2 90W 0-10V, 1290MA	93027863
10400 lumen, Class2, 0-10V, 347V, 80CRI	RK-LXX-C-PS-90-C2-1410-XX	93062626
10400 lumen, Class2, 0-10V, 347V, 90CRI	PSU KIT, CLASS2 90W 0-10V, 1630MA	93027864
12000 lumen, Class2, 0-10V, 347V, 80CRI	RK-LXX-C-PS-90-C2-1650-XX	93062627
6500 lumen, Class1, 0-10V, 347V, 80CRI	RK-LXX-C-PS-15-C1-0475-XX-347	93062634
8500 lumen, Class1, 0-10V, 347V, 80CRI	RK-LXX-C-PS-15-C1-0630-XX-347	93062635
10500 lumen, Class1, 0-10V, 347V, 80CRI *	RK-LXX-C-PS-15-C1-0825-XX-347	93062636
12000 lumen, Class1, 0-10V, 347V, 80CRI *	RK-LXX-C-PS-15-C1-0960-XX-347	93062637
13000 lumen, Class1, 0-10V, 347V, 80CRI	RK-LXX-C-PS-15-C1-0475-XX-347	93062634
17000 lumen, Class1, 0-10V, 347V, 80CRI	RK-LXX-C-PS-15-C1-0630-XX-347	93062635
21000 lumen, Class1, 0-10V, 347V, 80CRI	RK-LXX-C-PS-250-B1-0815-XX	93086155
24000 lumen, Class1, 0-10V, 347V, 80CRI	RK-LXX-C-PS-250-B4-0955-XX	93086166
Multiple lumen, Emergency lighting PSU Kit EL	RK-LXX-C-PS-XX-X0-XXXX-XX-WHT-EL	93085505
Multiple lumen, Emergency lighting PSU Kit L2	RK-LXX-C-PS-XX-X0-XXXX-XX-WHT-E2	93086146

* Please contact technical support team

REPLACEMENT LIS ACCESSORIES		
PRODUCT DESCRIPTION	MATERIAL DESCRIPTION	MATERIAL
ARCHITECTURAL END CAP	ARCHITECTURAL END CAP	93039940
DECORATIVE END CAP (QTY 2)	KIT END CAP	211044

Lumination® LIS Series

LED Luminaire Replacement Guide

LIS STARTER KITS

NOTE: TO ORDER REPLACEMENT END CAPS, ORDER CORRESPONDING STARTER KIT

PRODUCT DESCRIPTION	MATERIAL DESCRIPTION	MATERIAL
Starter kit, 1 row, Red endcaps	RK-LIS-A-SK-XX-01-REDE-XX	93081609
Starter kit, 1 row, Red endcaps (QTY 10)	RK-LIS-A-SK-XX-10-REDE-XX	93081610
Starter kit, 1 row, Grey endcaps	RK-LIS-A-SK-XX-01-GREY-XX	93081607
Starter kit, 1 row, Grey endcaps (QTY 10)	RK-LIS-A-SK-XX-10-GREY-XX	93081608
Starter kit, 1 row, Black endcaps	RK-LIS-A-SK-XX-01-BLCK-XX	93081606
Starter kit, 1 row, Black endcaps (QTY 10)	RK-LIS-A-SK-XX-10-BLCK-XX	93081245
Starter kit, 1 row, white endcaps	IS STARTER KIT	93018007
Starter kit, 1 row, white endcaps (QTY 10)	IS STARTER KIT - 10 ROWS	93022791

REPLACEMENT LIS LIGHT ENGINES

PRODUCT DESCRIPTION	MATERIAL DESCRIPTION	MATERIAL
4FT, 4200 lumen, 3000K, 80CRI	RK-LIS-C-LE-04-42-8030-XX-WHTE	93059224
4FT, 4200 lumen, 3500K, 80CRI	RK-LIS-C-LE-04-42-8035-XX-WHTE	93059238
4FT, 4200 lumen, 3500K, 90CRI	RK-LIS-C-LE-04-42-9035-XX-WHTE	93059216
4FT, 4200 lumen, 4000K, 80CRI	RK-LIS-C-LE-04-42-8040-XX-WHTE	93059252
4FT, 4200 lumen, 4000K, 90CRI	RK-LIS-C-LE-04-42-9040-XX-WHTE	93059220
4FT, 4200 lumen, 5000K, 80CRI	RK-LIS-C-LE-04-42-8050-XX-WHTE	93059266
4FT, 5200 lumen, 3000K, 80CRI	RK-LIS-C-LE-04-52-8030-XX-WHTE	93059225
4FT, 5200 lumen, 3500K, 80CRI	RK-LIS-C-LE-04-52-8035-XX-WHTE	93059239
4FT, 5200 lumen, 3500K, 90CRI	RK-LIS-C-LE-04-52-9035-XX-WHTE	93059217
4FT, 5200 lumen, 4000K, 80CRI	RK-LIS-C-LE-04-52-8040-XX-WHTE	93059253
4FT, 5200 lumen, 4000K, 90CRI	RK-LIS-C-LE-04-52-9040-XX-WHTE	93059221
4FT, 5200 lumen, 5000K, 80CRI	RK-LIS-C-LE-04-52-8050-XX-WHTE	93059267
4FT, 6250 lumen, 3000K, 80CRI	RK-LIS-C-LE-04-62-8030-XX-WHTE	93059226
4FT, 6250 lumen, 3500K, 80CRI	RK-LIS-C-LE-04-62-8035-XX-WHTE	93059240
4FT, 6250 lumen, 4000K, 80CRI	RK-LIS-C-LE-04-62-8040-XX-WHTE	93059254
4FT, 6250 lumen, 5000K, 80CRI	RK-LIS-C-LE-04-62-8050-XX-WHTE	93059268
4FT, 6500 lumen, 3000K, 80CRI	RK-LIS-C-LE-04-65-8030-XX-WHTE	93059227
4FT, 6500 lumen, 3500K, 80CRI	RK-LIS-C-LE-04-65-8035-XX-WHTE	93059241
4FT, 6500 lumen, 4000K, 80CRI	RK-LIS-C-LE-04-65-8040-XX-WHTE	93059255
4FT, 6500 lumen, 5000K, 80CRI	RK-LIS-C-LE-04-65-8050-XX-WHTE	93059269
4FT, 8500 lumen, 3000K, 80CRI	RK-LIS-C-LE-04-85-8030-XX-WHTE	93059228
4FT, 8500 lumen, 3500K, 80CRI	RK-LIS-C-LE-04-85-8035-XX-WHTE	93059242
4FT, 8500 lumen, 4000K, 80CRI	RK-LIS-C-LE-04-85-8040-XX-WHTE	93059256
4FT, 8500 lumen, 5000K, 80CRI	RK-LIS-C-LE-04-85-8050-XX-WHTE	93059270
4FT, 10500 lumen, 3000K, 80CRI	RK-LIS-C-LE-04-A1-8030-XX-WHTE	93059229
4FT, 10500 lumen, 3500K, 80CRI	RK-LIS-C-LE-04-A1-8035-XX-WHTE	93059243
4FT, 10500 lumen, 4000K, 80CRI	RK-LIS-C-LE-04-A1-8040-XX-WHTE	93059257
4FT, 10500 lumen, 5000K, 80CRI	RK-LIS-C-LE-04-A1-8050-XX-WHTE	93059271
4FT, 12000 lumen, 3000K, 80CRI	RK-LIS-C-LE-04-A2-8030-XX-WHTE	93059230
4FT, 12000 lumen, 3500K, 80CRI	RK-LIS-C-LE-04-A2-8035-XX-WHTE	93059244
4FT, 12000 lumen, 4000K, 80CRI	RK-LIS-C-LE-04-A2-8040-XX-WHTE	93059258
4FT, 12000 lumen, 5000K, 80CRI	RK-LIS-C-LE-04-A2-8050-XX-WHTE	93059272
8FT, 8400 lumen, 3000K, 80CRI	RK-LIS-C-LE-08-84-8030-XX-WHTE	93059231
8FT, 8400 lumen, 3500K, 80CRI	RK-LIS-C-LE-08-84-8035-XX-WHTE	93059245
8FT, 8400 lumen, 3500K, 90CRI	RK-LIS-C-LE-08-84-9035-XX-WHTE	93059218
8FT, 8400 lumen, 4000K, 80CRI	RK-LIS-C-LE-08-84-8040-XX-WHTE	93059259
8FT, 8400 lumen, 4000K, 90CRI	RK-LIS-C-LE-08-84-9040-XX-WHTE	93059222
8FT, 8400 lumen, 5000K, 80CRI	RK-LIS-C-LE-08-84-8050-XX-WHTE	93059273

Lumination® LIS Series

LED Luminaire Replacement Guide

REPLACEMENT LIS LIGHT ENGINES (CONT)		
PRODUCT DESCRIPTION	MATERIAL DESCRIPTION	MATERIAL
8FT, 10400 lumen, 3000K, 80CRI	RK-LIS-C-LE-08-A0-8030-XX-WHTE	93059232
8FT, 10400 lumen, 3500K, 80CRI	RK-LIS-C-LE-08-A0-8035-XX-WHTE	93059246
8FT, 10400 lumen, 3500K, 90CRI	RK-LIS-C-LE-08-A0-9035-XX-WHTE	93059219
8FT, 10400 lumen, 4000K, 80CRI	RK-LIS-C-LE-08-A0-8040-XX-WHTE	93059260
8FT, 10400 lumen, 4000K, 90CRI	RK-LIS-C-LE-08-A0-9040-XX-WHTE	93059223
8FT, 10400 lumen, 5000K, 80CRI	RK-LIS-C-LE-08-A0-8050-XX-WHTE	93059274
8FT, 12000 lumen, 3000K, 80CRI	RK-LIS-C-LE-08-A2-8030-XX-WHTE	93059233
8FT, 12000 lumen, 3500K, 80CRI	RK-LIS-C-LE-08-A2-8035-XX-WHTE	93059247
8FT, 12000 lumen, 4000K, 80CRI	RK-LIS-C-LE-08-A2-8040-XX-WHTE	93059261
8FT, 12000 lumen, 5000K, 80CRI	RK-LIS-C-LE-08-A2-8050-XX-WHTE	93059275
8FT, 13000 lumen, 3000K, 80CRI	RK-LIS-C-LE-08-A3-8030-XX-WHTE	93059234
8FT, 13000 lumen, 3500K, 80CRI	RK-LIS-C-LE-08-A3-8035-XX-WHTE	93059248
8FT, 13000 lumen, 4000K, 80CRI	RK-LIS-C-LE-08-A3-8040-XX-WHTE	93059262
8FT, 13000 lumen, 5000K, 80CRI	RK-LIS-C-LE-08-A3-8050-XX-WHTE	93059276
8FT, 17000 lumen, 3000K, 80CRI	RK-LIS-C-LE-08-A7-8030-XX-WHTE	93059235
8FT, 17000 lumen, 3500K, 80CRI	RK-LIS-C-LE-08-A7-8035-XX-WHTE	93059249
8FT, 17000 lumen, 4000K, 80CRI	RK-LIS-C-LE-08-A7-8040-XX-WHTE	93059263
8FT, 17000 lumen, 5000K, 80CRI	RK-LIS-C-LE-08-A7-8050-XX-WHTE	93059277
8FT, 21000 lumen, 3000K, 80CRI	RK-LIS-C-LE-08-B1-8030-XX-WHTE	93059236
8FT, 21000 lumen, 3500K, 80CRI	RK-LIS-C-LE-08-B1-8035-XX-WHTE	93059250
8FT, 21000 lumen, 4000K, 80CRI	RK-LIS-C-LE-08-B1-8040-XX-WHTE	93059264
8FT, 21000 lumen, 5000K, 80CRI	RK-LIS-C-LE-08-B1-8050-XX-WHTE	93059278
8FT, 24000 lumen, 3000K, 80CRI	RK-LIS-C-LE-08-B4-8030-XX-WHTE	93059237
8FT, 24000 lumen, 3500K, 80CRI	RK-LIS-C-LE-08-B4-8035-XX-WHTE	93059251
8FT, 24000 lumen, 4000K, 80CRI	RK-LIS-C-LE-08-B4-8040-XX-WHTE	93059265
8FT, 24000 lumen, 5000K, 80CRI	RK-LIS-C-LE-08-B4-8050-XX-WHTE	93059279
4FT, 4200 lumen, 3000K, 80CRI, Emergency Light	RK-LIS-C-LE-04-42-8030-XX-WHTE	93059224
4FT, 4200 lumen, 3500K, 80CRI, Emergency Light	RK-LIS-C-LE-04-42-8035-XX-WHTE	93059238
4FT, 4200 lumen, 3500K, 90CRI, Emergency Light	RK-LIS-C-LE-04-42-9035-XX-WHTE	93059216
4FT, 4200 lumen, 4000K, 80CRI, Emergency Light	RK-LIS-C-LE-04-42-8040-XX-WHTE	93059252
4FT, 4200 lumen, 4000K, 90CRI, Emergency Light	RK-LIS-C-LE-04-42-9040-XX-WHTE	93059220
4FT, 4200 lumen, 5000K, 80CRI, Emergency Light	RK-LIS-C-LE-04-42-8050-XX-WHTE	93059266
4FT, 5200 lumen, 3000K, 80CRI, Emergency Light	RK-LIS-C-LE-04-52-8030-XX-WHTE	93059225
4FT, 5200 lumen, 3500K, 80CRI, Emergency Light	RK-LIS-C-LE-04-52-8035-XX-WHTE	93059239
4FT, 5200 lumen, 3500K, 90CRI, Emergency Light	RK-LIS-C-LE-04-52-9035-XX-WHTE	93059217
4FT, 5200 lumen, 4000K, 80CRI, Emergency Light	RK-LIS-C-LE-04-52-8040-XX-WHTE	93059253
4FT, 5200 lumen, 4000K, 90CRI, Emergency Light	RK-LIS-C-LE-04-52-9040-XX-WHTE	93059221
4FT, 5200 lumen, 5000K, 80CRI, Emergency Light	RK-LIS-C-LE-04-52-8050-XX-WHTE	93059267
4FT, 6500 lumen, 3000K, 80CRI, Emergency Light	RK-LIS-C-LE-04-65-8030-XX-WHTE-EL	93059280
4FT, 6500 lumen, 3500K, 80CRI, Emergency Light	RK-LIS-C-LE-04-65-8035-XX-WHTE-EL	93059284
4FT, 6500 lumen, 4000K, 80CRI, Emergency Light	RK-LIS-C-LE-04-65-8040-XX-WHTE-EL	93059288
4FT, 6500 lumen, 5000K, 80CRI, Emergency Light	RK-LIS-C-LE-04-65-8050-XX-WHTE-EL	93059292
4FT, 8500 lumen, 3000K, 80CRI, Emergency Light	RK-LIS-C-LE-04-85-8030-XX-WHTE-EL	93059281
4FT, 8500 lumen, 3500K, 80CRI, Emergency Light	RK-LIS-C-LE-04-85-8035-XX-WHTE-EL	93059285
4FT, 8500 lumen, 4000K, 80CRI, Emergency Light	RK-LIS-C-LE-04-85-8040-XX-WHTE-EL	93059289
4FT, 8500 lumen, 5000K, 80CRI, Emergency Light	RK-LIS-C-LE-04-85-8050-XX-WHTE-EL	93059293
8FT, 8400 lumen, 3000K, 80CRI, Emergency Light	RK-LIS-C-LE-08-84-8030-XX-WHTE	93059231
8FT, 8400 lumen, 3500K, 80CRI, Emergency Light	RK-LIS-C-LE-08-84-8035-XX-WHTE	93059245
8FT, 8400 lumen, 3500K, 90CRI, Emergency Light	RK-LIS-C-LE-08-84-9035-XX-WHTE	93059218
8FT, 8400 lumen, 4000K, 80CRI, Emergency Light	RK-LIS-C-LE-08-84-8040-XX-WHTE	93059259
8FT, 8400 lumen, 4000K, 90CRI, Emergency Light	RK-LIS-C-LE-08-84-9040-XX-WHTE	93059222
8FT, 8400 lumen, 5000K, 80CRI, Emergency Light	RK-LIS-C-LE-08-84-8050-XX-WHTE	93059273
8FT, 10400 lumen, 3000K, 80CRI, Emergency Light	RK-LIS-C-LE-08-A0-8030-XX-WHTE	93059232

Lumination® LIS Series

LED Luminaire Replacement Guide

REPLACEMENT LIS LIGHT ENGINES (CONT)		
PRODUCT DESCRIPTION	MATERIAL DESCRIPTION	MATERIAL
8FT, 10400 lumen, 3500K, 80CRI, Emergency Light	RK-LIS-C-LE-08-A0-8035-XX-WHTE	93059246
8FT, 10400 lumen, 3500K, 90CRI, Emergency Light	RK-LIS-C-LE-08-A0-9035-XX-WHTE	93059219
8FT, 10400 lumen, 4000K, 80CRI, Emergency Light	RK-LIS-C-LE-08-A0-8040-XX-WHTE	93059260
8FT, 10400 lumen, 4000K, 90CRI, Emergency Light	RK-LIS-C-LE-08-A0-9040-XX-WHTE	93059223
8FT, 10400 lumen, 5000K, 80CRI, Emergency Light	RK-LIS-C-LE-08-A0-8050-XX-WHTE	93059274
8FT, 13000 lumen, 3000K, 80CRI, Emergency Light	RK-LIS-C-LE-08-A3-8030-XX-WHTE-EL	93059282
8FT, 13000 lumen, 3500K, 80CRI, Emergency Light	RK-LIS-C-LE-08-A3-8035-XX-WHTE-EL	93059286
8FT, 13000 lumen, 4000K, 80CRI, Emergency Light	RK-LIS-C-LE-08-A3-8040-XX-WHTE-EL	93059290
8FT, 13000 lumen, 5000K, 80CRI, Emergency Light	RK-LIS-C-LE-08-A3-8050-XX-WHTE-EL	93059294
8FT, 17000 lumen, 3000K, 80CRI, Emergency Light	RK-LIS-C-LE-08-A7-8030-XX-WHTE-EL	93059283
8FT, 17000 lumen, 3500K, 80CRI, Emergency Light	RK-LIS-C-LE-08-A7-8035-XX-WHTE-EL	93059287
8FT, 17000 lumen, 4000K, 80CRI, Emergency Light	RK-LIS-C-LE-08-A7-8040-XX-WHTE-EL	93059291
8FT, 17000 lumen, 5000K, 80CRI, Emergency Light	RK-LIS-C-LE-08-A7-8050-XX-WHTE-EL	93059295
4FT, 4200 lumen, 3000K, 80CRI, High Efficiency	RK-LIS-C-LE-08-A7-8050-XX-WHTE-EL	93059296
4FT, 4200 lumen, 3500K, 80CRI, High Efficiency	RK-LIS-C-LE-08-A7-8050-XX-WHTE-EL	93059300
4FT, 4200 lumen, 4000K, 80CRI, High Efficiency	RK-LIS-C-LE-08-A7-8050-XX-WHTE-EL	93059304
4FT, 4200 lumen, 5000K, 80CRI, High Efficiency	RK-LIS-C-LE-08-A7-8050-XX-WHTE-EL	93059308
4FT, 5200 lumen, 3000K, 80CRI, High Efficiency	RK-LIS-C-LE-08-A7-8050-XX-WHTE-EL	93059297
4FT, 5200 lumen, 3500K, 80CRI, High Efficiency	RK-LIS-C-LE-08-A7-8050-XX-WHTE-EL	93059301
4FT, 5200 lumen, 4000K, 80CRI, High Efficiency	RK-LIS-C-LE-08-A7-8050-XX-WHTE-EL	93059305
4FT, 5200 lumen, 5000K, 80CRI, High Efficiency	RK-LIS-C-LE-08-A7-8050-XX-WHTE-EL	93059309
8FT, 8400 lumen, 3000K, 80CRI, High Efficiency	RK-LIS-C-LE-08-A7-8050-XX-WHTE-EL	93059298
8FT, 8400 lumen, 3500K, 80CRI, High Efficiency	RK-LIS-C-LE-08-A7-8050-XX-WHTE-EL	93059302
8FT, 8400 lumen, 4000K, 80CRI, High Efficiency	RK-LIS-C-LE-08-A7-8050-XX-WHTE-EL	93059306
8FT, 8400 lumen, 5000K, 80CRI, High Efficiency	RK-LIS-C-LE-08-A7-8050-XX-WHTE-EL	93059310
8FT, 10400 lumen, 3000K, 80CRI, High Efficiency	RK-LIS-C-LE-08-A7-8050-XX-WHTE-EL	93059299
8FT, 10400 lumen, 3500K, 80CRI, High Efficiency	RK-LIS-C-LE-08-A7-8050-XX-WHTE-EL	93059303
8FT, 10400 lumen, 4000K, 80CRI, High Efficiency	RK-LIS-C-LE-08-A7-8050-XX-WHTE-EL	93059307
8FT, 10400 lumen, 5000K, 80CRI, High Efficiency	RK-LIS-C-LE-08-A7-8050-XX-WHTE-EL	93059311
4FT, 4200 lumen, 3000K, 80CRI, High Efficiency, Emergency Light	RK-LIS-C-LE-08-A7-8050-XX-WHTE-EL	93062580
4FT, 4200 lumen, 3500K, 80CRI, High Efficiency, Emergency Light	RK-LIS-C-LE-08-A7-8050-XX-WHTE-EL	93062584
4FT, 4200 lumen, 4000K, 80CRI, High Efficiency, Emergency Light	RK-LIS-C-LE-08-A7-8050-XX-WHTE-EL	93062698
4FT, 4200 lumen, 5000K, 80CRI, High Efficiency, Emergency Light	RK-LIS-C-LE-08-A7-8050-XX-WHTE-EL	93062702
4FT, 5200 lumen, 3000K, 80CRI, High Efficiency, Emergency Light	RK-LIS-C-LE-08-A7-8050-XX-WHTE-EL	93062581
4FT, 5200 lumen, 3500K, 80CRI, High Efficiency, Emergency Light	RK-LIS-C-LE-08-A7-8050-XX-WHTE-EL	93062585
4FT, 5200 lumen, 4000K, 80CRI, High Efficiency, Emergency Light	RK-LIS-C-LE-08-A7-8050-XX-WHTE-EL	93062699
4FT, 5200 lumen, 5000K, 80CRI, High Efficiency, Emergency Light	RK-LIS-C-LE-08-A7-8050-XX-WHTE-EL	93062703
8FT, 8400 lumen, 3000K, 80CRI, High Efficiency, Emergency Light	RK-LIS-C-LE-08-A7-8050-XX-WHTE-EL	93062582
8FT, 8400 lumen, 3500K, 80CRI, High Efficiency, Emergency Light	RK-LIS-C-LE-08-A7-8050-XX-WHTE-EL	93062696
8FT, 8400 lumen, 4000K, 80CRI, High Efficiency, Emergency Light	RK-LIS-C-LE-08-A7-8050-XX-WHTE-EL	93062700
8FT, 8400 lumen, 5000K, 80CRI, High Efficiency, Emergency Light	RK-LIS-C-LE-08-A7-8050-XX-WHTE-EL	93062704
8FT, 10400 lumen, 3000K, 80CRI, High Efficiency, Emergency Light	RK-LIS-C-LE-08-A7-8050-XX-WHTE-EL	93062583
8FT, 10400 lumen, 3500K, 80CRI, High Efficiency, Emergency Light	RK-LIS-C-LE-08-A7-8050-XX-WHTE-EL	93062697
8FT, 10400 lumen, 4000K, 80CRI, High Efficiency, Emergency Light	RK-LIS-C-LE-08-A7-8050-XX-WHTE-EL	93062701
8FT, 10400 lumen, 5000K, 80CRI, High Efficiency, Emergency Light	RK-LIS-C-LE-08-A7-8050-XX-WHTE-EL	93062705