


REFERENCE NUMBER	DESCRIPTION	PAGE NUMBER
A	Drivers	2,6
B	Accessories & Starter Kits	5-6
C	LED Light Engine	3-6



Lumination

LIS Series

LED Luminaire Replacement Guide

LIS2

REPLACEMENT LIS2 DRIVERS		
PRODUCT DESCRIPTION	MATERIAL DESCRIPTION	MATERIAL
4200 lumen, Class2, 0-10V, 120-277V, 80CRI	RK-LXX-C-PS-50-C2-0580-XX	93062392G
4200 lumen, Class2, 0-10V, 120-277V, 90CRI	PSU KIT, CASS2 50W 0-10V, 645MA	93027859
5200 lumen, Class2, 0-10V, 120-277V, 80CRI	RK-LXX-C-PS-50-C2-0710-XX	93062394G
5200 lumen, Class2, 0-10V, 120-277V, 90CRI	PSU KIT, CLASS2 50W 0-10V, 815MA	93027861G
6250 lumen, Class2, 0-10V, 120-277V, 80CRI	RK-LXX-C-PS-50-C2-0825-XX	93062393G
6500 lumen, Class2, 0-10V, 120-277V, 80CRI	RK-LXX-C-PS-90-C2-1140-XX	93062395G
6500 lumen, Class2, 0-10V, 120-277V, 90CRI	PSU KIT, CLASS2 90W 0-10V, 1290MA	93027862G
10400 lumen, Class2, 0-10V, 120-277V, 80CRI	RK-LXX-C-PS-90-C2-1410-XX	93062626G
10400 lumen, Class2, 0-10V, 120-277V, 90CRI	PSU KIT, CLASS2 90W 0-10V, 1410MA	93027864G
8400 lumen, Class2, 0-10V, 120-277V, 80CRI	RK-LXX-C-PS-90-84-1140-XX	93085503G
8400 lumen, Class2, 0-10V, 120-277V, 90CRI	RK-LXX-C-PS-90-84-1290-XX	93085504
12000 lumen, Class2, 0-10V, 120-277V, 80CRI	RK-LXX-C-PS-90-C2-1650-XX	93062627G
6500 lumen, Class1, 0-10V, 120-277V, 80CRI	PSU KIT, CLASS1 100W 0-10V, 480MA	93027869
8500 lumen, Class1, 0-10V, 120-277V, 80CRI	RK-LXX-C-PS-15-C1-0630-XX	93062631
10500 lumen, Class1, 0-10V, 120-277V, 80CRI	RK-LUS-A-PS-10-C1-0825-XX	93057890
12000 lumen, Class1, 0-10V, 120-277V, 80CRI	PSU KIT, CLASS1 100W 0-10V, 480MA	93027869
13000 lumen, Class1, 0-10V, 120-277V, 80CRI	PSU KIT, CLASS1 100W 0-10V, 480MA	93027869
17000 lumen, Class1, 0-10V, 120-277V, 80CRI	RK-LXX-C-PS-15-C1-0630-XX	93062631
21000 lumen, Class1, 0-10V, 120-277V, 80CRI	RK-LXX-C-PS-10-C1-0790-XX	93062628
24000 lumen, Class1, 0-10V, 120-277V, 80CRI	PSU KIT, CLASS1 100W 0-10V, 480MA	93027869
4200 lumen, Class1, 0-10V, 120-277V, 80CRI, High Efficiency	RK-LXX-C-PS-10-C1-0295-XX	93062629G
5200 lumen, Class1, 0-10V, 120-277V, 80CRI, High Efficiency	RK-LXX-C-PS-10-C1-0370-XX	93062630G
8400 lumen, Class1, 0-10V, 120-277V, 80CRI, High Efficiency	RK-LXX-C-PS-100-84-0295-XX-WHT-HE	93086530
10400 lumen, Class1, 0-10V, 120-277V, 80CRI, High Efficiency	RK-LXX-C-PS-50-C1-0370-XX	93062633
4200 lumen, Class2, 0-10V, 347V, 80CRI	RK-LXX-C-PS-50-C2-0580-XX	93062392G
4200 lumen, Class2, 0-10V, 347V, 90CRI	PSU KIT, CASS2 50W 0-10V, 645MA	93027859
5200 lumen, Class2, 0-10V, 347V, 80CRI	RK-LXX-C-PS-50-C2-0710-XX	93062394G
5200 lumen, Class2, 0-10V, 347V, 90CRI	PSU KIT, CLASS2 50W 0-10V, 815MA	93027861G
6250 lumen, Class2, 0-10V, 347V, 80CRI	RK-LXX-C-PS-50-C2-0825-XX	93062393G
6500 lumen, Class2, 0-10V, 347V, 80CRI	RK-LXX-C-PS-90-C2-1140-XX	93062395G
6500 lumen, Class2, 0-10V, 347V, 90CRI	PSU KIT, CLASS2 90W 0-10V, 1290MA	93027862G
10400 lumen, Class2, 0-10V, 347V, 80CRI	RK-LXX-C-PS-90-C2-1410-XX	93062626G
10400 lumen, Class2, 0-10V, 347V, 90CRI	PSU KIT, CLASS2 90W 0-10V, 1410MA	93027864G
12000 lumen, Class2, 0-10V, 347V, 80CRI	RK-LXX-C-PS-90-C2-1650-XX	93062627G
6500 lumen, Class1, 0-10V, 347V, 80CRI	RK-LXX-C-PS-15-C1-0475-XX-347	93062634
8500 lumen, Class1, 0-10V, 347V, 80CRI	RK-LXX-C-PS-15-C1-0630-XX-347	93062635
10500 lumen, Class1, 0-10V, 347V, 80CRI *	RK-LXX-C-PS-15-C1-0825-XX-347	93062636
12000 lumen, Class1, 0-10V, 347V, 80CRI *	RK-LXX-C-PS-15-C1-0960-XX-347	93062637
13000 lumen, Class1, 0-10V, 347V, 80CRI	RK-LXX-C-PS-15-C1-0475-XX-347	93062634
17000 lumen, Class1, 0-10V, 347V, 80CRI	RK-LXX-C-PS-15-C1-0630-XX-347	93062635
21000 lumen, Class1, 0-10V, 347V, 80CRI	RK-LXX-C-PS-250-B1-0815-XX	93086155
24000 lumen, Class1, 0-10V, 347V, 80CRI	RK-LXX-C-PS-250-B4-0955-XX	93086166G
Multiple lumen, Emergency lighting PSU Kit EL	RK-LXX-C-PS-XX-X0-XXXX-XX-WHT-EL	93085505
Multiple lumen, Emergency lighting PSU Kit L2	RK-LXX-C-PS-XX-X0-XXXX-XX-WHT-E2	93086146

* Please contact technical support team

LIS2 - Continued

REPLACEMENT LIS2 LIGHT ENGINES		
PRODUCT DESCRIPTION	MATERIAL DESCRIPTION	MATERIAL
4FT, 4200 lumen, 3000K, 80CRI	RK-LIS-C-LE-04-42-8030-XX-WHTE	93059224G
4FT, 4200 lumen, 3500K, 80CRI	RK-LIS-C-LE-04-42-8035-XX-WHTE	93059238G
4FT, 4200 lumen, 3500K, 90CRI	RK-LIS-C-LE-04-42-9035-XX-WHTE	93059216
4FT, 4200 lumen, 4000K, 80CRI	RK-LIS-C-LE-04-42-8040-XX-WHTE	93059252G
4FT, 4200 lumen, 4000K, 90CRI	RK-LIS-C-LE-04-42-9040-XX-WHTE	93059220G
4FT, 4200 lumen, 5000K, 80CRI	RK-LIS-C-LE-04-42-8050-XX-WHTE	93059266G
4FT, 5200 lumen, 3000K, 80CRI	RK-LIS-C-LE-04-52-8030-XX-WHTE	93059225G
4FT, 5200 lumen, 3500K, 80CRI	RK-LIS-C-LE-04-52-8035-XX-WHTE	93059239
4FT, 5200 lumen, 3500K, 90CRI	RK-LIS-C-LE-04-52-9035-XX-WHTE	93059217
4FT, 5200 lumen, 4000K, 80CRI	RK-LIS-C-LE-04-52-8040-XX-WHTE	93059253G
4FT, 5200 lumen, 4000K, 90CRI	RK-LIS-C-LE-04-52-9040-XX-WHTE	93059221G
4FT, 5200 lumen, 5000K, 80CRI	RK-LIS-C-LE-04-52-8050-XX-WHTE	93059267G
4FT, 6250 lumen, 3000K, 80CRI	RK-LIS-C-LE-04-62-8030-XX-WHTE	93059226G
4FT, 6250 lumen, 3500K, 80CRI	RK-LIS-C-LE-04-62-8035-XX-WHTE	93059240
4FT, 6250 lumen, 4000K, 80CRI	RK-LIS-C-LE-04-62-8040-XX-WHTE	93059254G
4FT, 6250 lumen, 5000K, 80CRI	RK-LIS-C-LE-04-62-8050-XX-WHTE	93059268
4FT, 6500 lumen, 3000K, 80CRI	RK-LIS-C-LE-04-65-8030-XX-WHTE	93059227G
4FT, 6500 lumen, 3500K, 80CRI	RK-LIS-C-LE-04-65-8035-XX-WHTE	93059241
4FT, 6500 lumen, 4000K, 80CRI	RK-LIS-C-LE-04-65-8040-XX-WHTE	93059255G
4FT, 6500 lumen, 5000K, 80CRI	RK-LIS-C-LE-04-65-8050-XX-WHTE	93059269
4FT, 8500 lumen, 3000K, 80CRI	RK-LIS-C-LE-04-85-8030-XX-WHTE	93059228G
4FT, 8500 lumen, 3500K, 80CRI	RK-LIS-C-LE-04-85-8035-XX-WHTE	93059242
4FT, 8500 lumen, 4000K, 80CRI	RK-LIS-C-LE-04-85-8040-XX-WHTE	93059256
4FT, 8500 lumen, 5000K, 80CRI	RK-LIS-C-LE-04-85-8050-XX-WHTE	93059270G
4FT, 10500 lumen, 3000K, 80CRI	RK-LIS-C-LE-04-A1-8030-XX-WHTE	93059229G
4FT, 10500 lumen, 3500K, 80CRI	RK-LIS-C-LE-04-A1-8035-XX-WHTE	93059243
4FT, 10500 lumen, 4000K, 80CRI	RK-LIS-C-LE-04-A1-8040-XX-WHTE	93059257
4FT, 10500 lumen, 5000K, 80CRI	RK-LIS-C-LE-04-A1-8050-XX-WHTE	93059271G
4FT, 12000 lumen, 3000K, 80CRI	RK-LIS-C-LE-04-A2-8030-XX-WHTE	93059230G
4FT, 12000 lumen, 3500K, 80CRI	RK-LIS-C-LE-04-A2-8035-XX-WHTE	93059244G
4FT, 12000 lumen, 4000K, 80CRI	RK-LIS-C-LE-04-A2-8040-XX-WHTE	93059258
4FT, 12000 lumen, 5000K, 80CRI	RK-LIS-C-LE-04-A2-8050-XX-WHTE	93059272G
8FT, 8400 lumen, 3000K, 80CRI	RK-LIS-C-LE-08-84-8030-XX-WHTE	93059231
8FT, 8400 lumen, 3500K, 80CRI	RK-LIS-C-LE-08-84-8035-XX-WHTE	93059245
8FT, 8400 lumen, 3500K, 90CRI	RK-LIS-C-LE-08-84-9035-XX-WHTE	93059218G
8FT, 8400 lumen, 4000K, 80CRI	RK-LIS-C-LE-08-84-8040-XX-WHTE	93059259
8FT, 8400 lumen, 4000K, 90CRI	RK-LIS-C-LE-08-84-9040-XX-WHTE	93059222G
8FT, 8400 lumen, 5000K, 80CRI	RK-LIS-C-LE-08-84-8050-XX-WHTE	93059273G
8FT, 10400 lumen, 3000K, 80CRI	RK-LIS-C-LE-08-A0-8030-XX-WHTE	93059232G
8FT, 10400 lumen, 3500K, 80CRI	RK-LIS-C-LE-08-A0-8035-XX-WHTE	93059246
8FT, 10400 lumen, 3500K, 90CRI	RK-LIS-C-LE-08-A0-9035-XX-WHTE	93059219G
8FT, 10400 lumen, 4000K, 80CRI	RK-LIS-C-LE-08-A0-8040-XX-WHTE	93059260
8FT, 10400 lumen, 4000K, 90CRI	RK-LIS-C-LE-08-A0-9040-XX-WHTE	93059223G
8FT, 10400 lumen, 5000K, 80CRI	RK-LIS-C-LE-08-A0-8050-XX-WHTE	93059274G
8FT, 12000 lumen, 3000K, 80CRI	RK-LIS-C-LE-08-A2-8030-XX-WHTE	93059233G
8FT, 12000 lumen, 3500K, 80CRI	RK-LIS-C-LE-08-A2-8035-XX-WHTE	93059247
8FT, 12000 lumen, 4000K, 80CRI	RK-LIS-C-LE-08-A2-8040-XX-WHTE	93059261
8FT, 12000 lumen, 5000K, 80CRI	RK-LIS-C-LE-08-A2-8050-XX-WHTE	93059275
8FT, 13000 lumen, 3000K, 80CRI	RK-LIS-C-LE-08-A3-8030-XX-WHTE	93059234G
8FT, 13000 lumen, 3500K, 80CRI	RK-LIS-C-LE-08-A3-8035-XX-WHTE	93059248
8FT, 13000 lumen, 4000K, 80CRI	RK-LIS-C-LE-08-A3-8040-XX-WHTE	93059262
8FT, 13000 lumen, 5000K, 80CRI	RK-LIS-C-LE-08-A3-8050-XX-WHTE	93059276

LIS2 - Continued

REPLACEMENT LIS2 LIGHT ENGINES (CONT)		
PRODUCT DESCRIPTION	MATERIAL DESCRIPTION	MATERIAL
8FT, 17000 lumen, 3000K, 80CRI	RK-LIS-C-LE-08-A7-8030-XX-WHTE	93059235G
8FT, 17000 lumen, 3500K, 80CRI	RK-LIS-C-LE-08-A7-8035-XX-WHTE	93059249
8FT, 17000 lumen, 4000K, 80CRI	RK-LIS-C-LE-08-A7-8040-XX-WHTE	93059263G
8FT, 17000 lumen, 5000K, 80CRI	RK-LIS-C-LE-08-A7-8050-XX-WHTE	93059277
8FT, 21000 lumen, 3000K, 80CRI	RK-LIS-C-LE-08-B1-8030-XX-WHTE	93059236G
8FT, 21000 lumen, 3500K, 80CRI	RK-LIS-C-LE-08-B1-8035-XX-WHTE	93059250
8FT, 21000 lumen, 4000K, 80CRI	RK-LIS-C-LE-08-B1-8040-XX-WHTE	93059264G
8FT, 21000 lumen, 5000K, 80CRI	RK-LIS-C-LE-08-B1-8050-XX-WHTE	93059278G
8FT, 24000 lumen, 3000K, 80CRI	RK-LIS-C-LE-08-B4-8030-XX-WHTE	93059237G
8FT, 24000 lumen, 3500K, 80CRI	RK-LIS-C-LE-08-B4-8035-XX-WHTE	93059251
8FT, 24000 lumen, 4000K, 80CRI	RK-LIS-C-LE-08-B4-8040-XX-WHTE	93059265G
8FT, 24000 lumen, 5000K, 80CRI	RK-LIS-C-LE-08-B4-8050-XX-WHTE	93059279G
4FT, 4200 lumen, 3000K, 80CRI, Emergency Light	RK-LIS-C-LE-04-42-8030-XX-WHTE	93059224G
4FT, 4200 lumen, 3500K, 80CRI, Emergency Light	RK-LIS-C-LE-04-42-8035-XX-WHTE	93059238G
4FT, 4200 lumen, 3500K, 90CRI, Emergency Light	RK-LIS-C-LE-04-42-9035-XX-WHTE	93059216
4FT, 4200 lumen, 4000K, 80CRI, Emergency Light	RK-LIS-C-LE-04-42-8040-XX-WHTE	93059252G
4FT, 4200 lumen, 4000K, 90CRI, Emergency Light	RK-LIS-C-LE-04-42-9040-XX-WHTE	93059220G
4FT, 4200 lumen, 5000K, 80CRI, Emergency Light	RK-LIS-C-LE-04-42-8050-XX-WHTE	93059266G
4FT, 5200 lumen, 3000K, 80CRI, Emergency Light	RK-LIS-C-LE-04-52-8030-XX-WHTE	93059225G
4FT, 5200 lumen, 3500K, 80CRI, Emergency Light	RK-LIS-C-LE-04-52-8035-XX-WHTE	93059239
4FT, 5200 lumen, 3500K, 90CRI, Emergency Light	RK-LIS-C-LE-04-52-9035-XX-WHTE	93059217
4FT, 5200 lumen, 4000K, 80CRI, Emergency Light	RK-LIS-C-LE-04-52-8040-XX-WHTE	93059253G
4FT, 5200 lumen, 4000K, 90CRI, Emergency Light	RK-LIS-C-LE-04-52-9040-XX-WHTE	93059221G
4FT, 5200 lumen, 5000K, 80CRI, Emergency Light	RK-LIS-C-LE-04-52-8050-XX-WHTE	93059267G
4FT, 6500 lumen, 3000K, 80CRI, Emergency Light	RK-LIS-C-LE-04-65-8030-XX-WHTE-EL	93059280G
4FT, 6500 lumen, 3500K, 80CRI, Emergency Light	RK-LIS-C-LE-04-65-8035-XX-WHTE-EL	93059284
4FT, 6500 lumen, 4000K, 80CRI, Emergency Light	RK-LIS-C-LE-04-65-8040-XX-WHTE-EL	93059288G
4FT, 6500 lumen, 5000K, 80CRI, Emergency Light	RK-LIS-C-LE-04-65-8050-XX-WHTE-EL	93059292G
4FT, 8500 lumen, 3000K, 80CRI, Emergency Light	RK-LIS-C-LE-04-85-8030-XX-WHTE-EL	93059281G
4FT, 8500 lumen, 3500K, 80CRI, Emergency Light	RK-LIS-C-LE-04-85-8035-XX-WHTE-EL	93059285G
4FT, 8500 lumen, 4000K, 80CRI, Emergency Light	RK-LIS-C-LE-04-85-8040-XX-WHTE-EL	93059289G
4FT, 8500 lumen, 5000K, 80CRI, Emergency Light	RK-LIS-C-LE-04-85-8050-XX-WHTE-EL	93059293G
8FT, 8400 lumen, 3000K, 80CRI, Emergency Light	RK-LIS-C-LE-08-84-8030-XX-WHTE	93059231
8FT, 8400 lumen, 3500K, 80CRI, Emergency Light	RK-LIS-C-LE-08-84-8035-XX-WHTE	93059245
8FT, 8400 lumen, 3500K, 90CRI, Emergency Light	RK-LIS-C-LE-08-84-9035-XX-WHTE	93059218G
8FT, 8400 lumen, 4000K, 80CRI, Emergency Light	RK-LIS-C-LE-08-84-8040-XX-WHTE	93059259
8FT, 8400 lumen, 4000K, 90CRI, Emergency Light	RK-LIS-C-LE-08-84-9040-XX-WHTE	93059222G
8FT, 8400 lumen, 5000K, 80CRI, Emergency Light	RK-LIS-C-LE-08-84-8050-XX-WHTE	93059273G
8FT, 10400 lumen, 3000K, 80CRI, Emergency Light	RK-LIS-C-LE-08-A0-8030-XX-WHTE	93059232G
8FT, 10400 lumen, 3500K, 80CRI, Emergency Light	RK-LIS-C-LE-08-A0-8035-XX-WHTE	93059246
8FT, 10400 lumen, 3500K, 90CRI, Emergency Light	RK-LIS-C-LE-08-A0-9035-XX-WHTE	93059219G
8FT, 10400 lumen, 4000K, 80CRI, Emergency Light	RK-LIS-C-LE-08-A0-8040-XX-WHTE	93059260
8FT, 10400 lumen, 4000K, 90CRI, Emergency Light	RK-LIS-C-LE-08-A0-9040-XX-WHTE	93059223G
8FT, 10400 lumen, 5000K, 80CRI, Emergency Light	RK-LIS-C-LE-08-A0-8050-XX-WHTE	93059274G
8FT, 13000 lumen, 3000K, 80CRI, Emergency Light	RK-LIS-C-LE-08-A3-8030-XX-WHTE-EL	93059282G
8FT, 13000 lumen, 3500K, 80CRI, Emergency Light	RK-LIS-C-LE-08-A3-8035-XX-WHTE-EL	93059286G
8FT, 13000 lumen, 4000K, 80CRI, Emergency Light	RK-LIS-C-LE-08-A3-8040-XX-WHTE-EL	93059290G
8FT, 13000 lumen, 5000K, 80CRI, Emergency Light	RK-LIS-C-LE-08-A3-8050-XX-WHTE-EL	93059294G
8FT, 17000 lumen, 3000K, 80CRI, Emergency Light	RK-LIS-C-LE-08-A7-8030-XX-WHTE-EL	93059283
8FT, 17000 lumen, 3500K, 80CRI, Emergency Light	RK-LIS-C-LE-08-A7-8035-XX-WHTE-EL	93059287G
8FT, 17000 lumen, 4000K, 80CRI, Emergency Light	RK-LIS-C-LE-08-A7-8040-XX-WHTE-EL	93059291G
8FT, 17000 lumen, 5000K, 80CRI, Emergency Light	RK-LIS-C-LE-08-A7-8050-XX-WHTE-EL	93059295G

LIS2 - Continued

REPLACEMENT LIS2 LIGHT ENGINES (CONT)		
PRODUCT DESCRIPTION	MATERIAL DESCRIPTION	MATERIAL
4FT, 4200 lumen, 3000K, 80CRI, High Efficiency	RK-LIS-C-LE-08-A7-8050-XX-WHTE-EL	93059296G
4FT, 4200 lumen, 3500K, 80CRI, High Efficiency	RK-LIS-C-LE-08-A7-8050-XX-WHTE-EL	93059300G
4FT, 4200 lumen, 4000K, 80CRI, High Efficiency	RK-LIS-C-LE-08-A7-8050-XX-WHTE-EL	93059304G
4FT, 4200 lumen, 5000K, 80CRI, High Efficiency	RK-LIS-C-LE-08-A7-8050-XX-WHTE-EL	93059308
4FT, 5200 lumen, 3000K, 80CRI, High Efficiency	RK-LIS-C-LE-08-A7-8050-XX-WHTE-EL	93059297G
4FT, 5200 lumen, 3500K, 80CRI, High Efficiency	RK-LIS-C-LE-08-A7-8050-XX-WHTE-EL	93059301
4FT, 5200 lumen, 4000K, 80CRI, High Efficiency	RK-LIS-C-LE-08-A7-8050-XX-WHTE-EL	93059305
4FT, 5200 lumen, 5000K, 80CRI, High Efficiency	RK-LIS-C-LE-08-A7-8050-XX-WHTE-EL	93059309
8FT, 8400 lumen, 3000K, 80CRI, High Efficiency	RK-LIS-C-LE-08-A7-8050-XX-WHTE-EL	93059298G
8FT, 8400 lumen, 3500K, 80CRI, High Efficiency	RK-LIS-C-LE-08-A7-8050-XX-WHTE-EL	93059302
8FT, 8400 lumen, 4000K, 80CRI, High Efficiency	RK-LIS-C-LE-08-A7-8050-XX-WHTE-EL	93059306G
8FT, 8400 lumen, 5000K, 80CRI, High Efficiency	RK-LIS-C-LE-08-A7-8050-XX-WHTE-EL	93059310
8FT, 10400 lumen, 3000K, 80CRI, High Efficiency	RK-LIS-C-LE-08-A7-8050-XX-WHTE-EL	93059299G
8FT, 10400 lumen, 3500K, 80CRI, High Efficiency	RK-LIS-C-LE-08-A7-8050-XX-WHTE-EL	93059303G
8FT, 10400 lumen, 4000K, 80CRI, High Efficiency	RK-LIS-C-LE-08-A7-8050-XX-WHTE-EL	93059307G
8FT, 10400 lumen, 5000K, 80CRI, High Efficiency	RK-LIS-C-LE-08-A7-8050-XX-WHTE-EL	93059311
4FT, 4200 lumen, 3000K, 80CRI, High Efficiency, Emergency Light	RK-LIS-C-LE-08-A7-8050-XX-WHTE-EL	93062580
4FT, 4200 lumen, 3500K, 80CRI, High Efficiency, Emergency Light	RK-LIS-C-LE-08-A7-8050-XX-WHTE-EL	93062584
4FT, 4200 lumen, 4000K, 80CRI, High Efficiency, Emergency Light	RK-LIS-C-LE-08-A7-8050-XX-WHTE-EL	93062698G
4FT, 4200 lumen, 5000K, 80CRI, High Efficiency, Emergency Light	RK-LIS-C-LE-08-A7-8050-XX-WHTE-EL	93062702G
4FT, 5200 lumen, 3000K, 80CRI, High Efficiency, Emergency Light	RK-LIS-C-LE-08-A7-8050-XX-WHTE-EL	93062581
4FT, 5200 lumen, 3500K, 80CRI, High Efficiency, Emergency Light	RK-LIS-C-LE-08-A7-8050-XX-WHTE-EL	93062585
4FT, 5200 lumen, 4000K, 80CRI, High Efficiency, Emergency Light	RK-LIS-C-LE-08-A7-8050-XX-WHTE-EL	93062699G
4FT, 5200 lumen, 5000K, 80CRI, High Efficiency, Emergency Light	RK-LIS-C-LE-08-A7-8050-XX-WHTE-EL	93062703G
8FT, 8400 lumen, 3000K, 80CRI, High Efficiency, Emergency Light	RK-LIS-C-LE-08-A7-8050-XX-WHTE-EL	93062582
8FT, 8400 lumen, 3500K, 80CRI, High Efficiency, Emergency Light	RK-LIS-C-LE-08-A7-8050-XX-WHTE-EL	93062696G
8FT, 8400 lumen, 4000K, 80CRI, High Efficiency, Emergency Light	RK-LIS-C-LE-08-A7-8050-XX-WHTE-EL	93062700G
8FT, 8400 lumen, 5000K, 80CRI, High Efficiency, Emergency Light	RK-LIS-C-LE-08-A7-8050-XX-WHTE-EL	93062704G
8FT, 10400 lumen, 3000K, 80CRI, High Efficiency, Emergency Light	RK-LIS-C-LE-08-A7-8050-XX-WHTE-EL	93062583
8FT, 10400 lumen, 3500K, 80CRI, High Efficiency, Emergency Light	RK-LIS-C-LE-08-A7-8050-XX-WHTE-EL	93062697G
8FT, 10400 lumen, 4000K, 80CRI, High Efficiency, Emergency Light	RK-LIS-C-LE-08-A7-8050-XX-WHTE-EL	93062701G
8FT, 10400 lumen, 5000K, 80CRI, High Efficiency, Emergency Light	RK-LIS-C-LE-08-A7-8050-XX-WHTE-EL	93062705G

LIS2 & LIS3 - Accessories

REPLACEMENT LIS2 & LIS3 ACCESSORIES		
PRODUCT DESCRIPTION	MATERIAL DESCRIPTION	MATERIAL
ARCHITECTURAL END CAP	ARCHITECTURAL END CAP	93039940G
DECORATIVE END CAP (QTY 2)	KIT END CAP	211044

LIS2 & LIS3 - Starter Kits

LIS2 & LIS3 STARTER KITS

NOTE: TO ORDER REPLACEMENT END CAPS, ORDER CORRESPONDING STARTER KIT

PRODUCT DESCRIPTION	MATERIAL DESCRIPTION	MATERIAL
Starter kit, 1 row, Red endcaps	RK-LIS-A-SK-XX-01-REDE-XX	93081609
Starter kit, 1 row, Red endcaps (QTY 10)	RK-LIS-A-SK-XX-10-REDE-XX	93081610
Starter kit, 1 row, Grey endcaps	RK-LIS-A-SK-XX-01-GREY-XX	93081607
Starter kit, 1 row, Grey endcaps (QTY 10)	RK-LIS-A-SK-XX-10-GREY-XX	93081608
Starter kit, 1 row, Black endcaps	RK-LIS-A-SK-XX-01-BLCK-XX	93081606
Starter kit, 1 row, Black endcaps (QTY 10)	RK-LIS-A-SK-XX-10-BLCK-XX	93081245G
Starter kit, 1 row, white endcaps	IS STARTER KIT	93018007G
Starter kit, 1 row, white endcaps (QTY 10)	IS STARTER KIT - 10 ROWS	93022791G

LIS3

REPLACEMENT LIS3 DRIVERS

PRODUCT DESCRIPTION	MATERIAL DESCRIPTION	MATERIAL
4200 Lumen, Class 2, 0-10V, 120-277V, 90CRI Trigain®	RK-LIS3-C-PS-90-42-0570-XX	93302314
5200 Lumen, Class 2, 0-10V, 120-277V, 90CRI Trigain®	RK-LIS3-C-PS-90-52-0720-XX	93302315
6250 Lumen, Class 2, 0-10V, 120-277V, 90CRI Trigain®	RK-LIS3-C-PS-90-62-0875-XX	93302316
8400 Lumen, Class 2, 0-10V, 120-277V, 90CRI Trigain®	RK-LIS3-C-PS-90-84-1170-XX	93302317
10400 Lumen, Class 2, 0-10V, 120-277V, 90CRI Trigain®	RK-LIS3-C-PS-90-A0-1500-XX	93302318
12000 Lumen, Class 2, 0-10V, 120-277V, 90CRI Trigain®	RK-LIS3-C-PS-90-A2-1750-XX	93302319
4200 Lumen, Class 2, Daintree, 120-277V, 90CRI Trigain®	RK-LIS3-C-PS-90-42-0570-TX	93302450
5200 Lumen, Class 2, Daintree, 120-277V, 90CRI Trigain®	RK-LIS3-C-PS-90-52-0720-TX	93302451
6250 Lumen, Class 2, Daintree, 120-277V, 90CRI Trigain®	RK-LIS3-C-PS-90-62-0875-TX	93302452
8400 Lumen, Class 2, Daintree, 120-277V, 90CRI Trigain®	RK-LIS3-C-PS-90-84-1170-TX	93302453
10400 Lumen, Class 2, Daintree, 120-277V, 90CRI Trigain®	RK-LIS3-C-PS-90-A0-1500-TX	93302454
12000 Lumen, Class 2, Daintree, 120-277V, 90CRI Trigain®	RK-LIS3-C-PS-90-A2-1750-TX	93302455
4200 Lumen, Class 2, 0-10V, 347V, 90CRI Trigain®	RK-LIS3-C-PS-90-42-0570-XX	93302314
5200 Lumen, Class 2, 0-10V, 347V, 90CRI Trigain®	RK-LIS3-C-PS-90-52-0720-XX	93302315
6250 Lumen, Class 2, 0-10V, 347V, 90CRI Trigain®	RK-LIS3-C-PS-90-62-0875-XX	93302316
8400 Lumen, Class 2, 0-10V, 347V, 90CRI Trigain®	RK-LIS3-C-PS-90-84-1170-XX	93302317
10400 Lumen, Class 2, 0-10V, 347V, 90CRI Trigain®	RK-LIS3-C-PS-90-A0-1500-XX	93302318
12000 Lumen, Class 2, 0-10V, 347V, 90CRI Trigain®	RK-LIS3-C-PS-90-A2-1750-XX	93302319

REPLACEMENT LIS3 LIGHT ENGINES

PRODUCT DESCRIPTION	MATERIAL DESCRIPTION	MATERIAL
4FT, 4200 Lumen, 3500K, 90CRI Trigain®	RK-LIS3-C-LE-04-42-T35-XX-WHTE	93302340
4FT, 4200 Lumen, 4000K, 90CRI Trigain®	RK-LIS3-C-LE-04-42-T40-XX-WHTE	93302341
4FT, 5200 Lumen, 3500K, 90CRI Trigain®	RK-LIS3-C-LE-04-52-T35-XX-WHTE	93302342
4FT, 5200 Lumen, 4000K, 90CRI Trigain®	RK-LIS3-C-LE-04-52-T40-XX-WHTE	93302343
4FT, 6250 Lumen, 3500K, 90CRI Trigain®	RK-LIS3-C-LE-04-62-T35-XX-WHTE	93302344
4FT, 6250 Lumen, 4000K, 90CRI Trigain®	RK-LIS3-C-LE-04-62-T40-XX-WHTE	93302345
8FT, 8400 Lumen, 3500K, 90CRI Trigain®	RK-LIS3-C-LE-08-84-T35-XX-WHTE	93302346
8FT, 8400 Lumen, 4000K, 90CRI Trigain®	RK-LIS3-C-LE-08-84-T40-XX-WHTE	93302347
8FT, 10400 Lumen, 3500K, 90CRI Trigain®	RK-LIS3-C-LE-08-A0-T35-XX-WHTE	93302348
8FT, 10400 Lumen, 4000K, 90CRI Trigain®	RK-LIS3-C-LE-08-A0-T40-XX-WHTE	93302349
8FT, 12000 Lumen, 3500K, 90CRI Trigain®	RK-LIS3-C-LE-08-A2-T35-XX-WHTE	93302350
8FT, 12000 Lumen, 4000K, 90CRI Trigain®	RK-LIS3-C-LE-08-A2-T40-XX-WHTE	93302351