









X Lumination

The Lumination LED Series offers economical energy saving fixtures for use in commercial or light industrial applications. The Lumination LED Series is engineered to provide Life Safety compliance and peace of mind by offering compact, architectural and highly reliable products that can be readily purchased and easily installed without compromise.

- UL924 Life Safety Listed
- Long-life LED operation
- Includes premium long-life battery
- Low energy consumption
- Bright and even EXIT illumination
- Fully adjustable optics
- Indoor and outdoor applications
- Matching remotes





EXITS AND COMBOS



LUX LED Exit Sign

- AC only or Emergency with battery models
- Universal single or double-face
- Remote capacity or extended run-time option
- Removeable chevrons for flexibility in the field
- Matching indoor or outdoor remote heads
- Damp Location Listed

Lumination #	Part #	Description	Stock Location Harrisburg, PA	Wt. Each	Master Qty.
93162242	LUXAR	White Thermoplastic Exit, Universal Face, Red LED AC Only Exit	•	2.0 lbs.	6
93162246	LUXER	White Thermoplastic Exit, Universal Face, Red LED Emergency Exit, NiCad Battery	•	2.2 lbs.	6
93162250	LUXERRC	White Thermoplastic Exit, Universal Face, Red LED Emergency Exit, Remote Capacity, NiMh Battery	•	2.2 lbs.	6
93162244	LUXAG	White Thermoplastic Exit, Universal Face, Green LED AC Only Exit	•	2.0 lbs.	6
93162248	LUXEG	White Thermoplastic Exit, Universal Face, Green LED Emergency Exit, NiCad Battery	•	2.2 lbs.	6
93162251	LUXEGRC	White Thermoplastic Exit, Universal Face, Green LED Emergency Exit, Remote Capacity, NiMh Battery	•	2.2 lbs.	6
93162243	LUXARB	Black Thermoplastic Exit, Universal Face, Red LED AC Only Exit	•	2.0 lbs.	6
93162247	LUXERB	Black Thermoplastic Exit, Universal Face, Red LED Emergency Exit, NiCad Battery	•	2.2 lbs.	6
93162245	LUXAGB	Black Thermoplastic Exit, Universal Face, Green LED AC Only Exit	•	2.0 lbs.	6
93162249	LUXEGB	Black Thermoplastic Exit, Universal Face, Green LED Emergency Exit, NiCad Battery	•	2.2 lbs.	6



LUEL LED Edge-Lit Exit

- Recessed or Surface mount models
- Brushed Aluminum Housing with Acrylic Panels
- Panel illumination in red or green letters
- Mirror divider on single and double-face models

Lumination #	Part #	Description	Stock Location Harrisburg, PA	Wt. Each	Master Qty.
93162277	LUELS1RN	Surface Edgelit Exit, Single Face, Red Letters, Mirror Panel, Aluminum Housing, AC Only	•	3.0 lbs.	6
93162278	LUELS1RNE	Surface Edgelit Exit, Single Face, Red Letters, Clear Panel, Aluminum Housing, Battery Backup	•	3.0 lbs.	6
93162281	LUELS2RN	Surface Edgelit Exit, Double Face, Red Letters, Mirror Panel, Aluminum Housing, AC Only	•	3.0 lbs.	6
93162282	LUELS2RNE	Surface Edgelit Exit, Double Face, Red Letters, Mirror Panel, Aluminum Housing, Battery Backup	•	3.0 lbs.	6
93162269	LUELR1RN	Recessed Edgelit Exit, Single Face, Red Letters, Mirror Panel, Aluminum Housing, AC Only	•	6.0 lbs	3
93162270	LUELR1RNE	Recessed Edgelit Exit, Single Face, Red Letters, Mirror Panel, Aluminum Housing, Battery Backup	•	6.0 lbs	3
93162273	LUELR2RN	Recessed Edgelit Exit, Double Face, Red Letters, Mirror Panel, Aluminum Housing, AC Only	•	6.0 lbs	3
93162274	LUELR2RNE	Recessed Edgelit Exit, Double Face, Red Letters, Mirror Panel, Aluminum Housing, Battery Backup	•	6.0 lbs	3
93162275	LUELS1GN	Surface Edgelit Exit, Single Face, Green Letters, Mirror Panel, Aluminum Housing, AC Only	•	3.0 lbs.	6
93162276	LUELS1GNE	Surface Edgelit Exit, Single Face, Green Letters, Clear Panel, Aluminum Housing, Battery Backup	•	3.0 lbs.	6
93162279	LUELS2GN	Surface Edgelit Exit, Double Face, Green Letters, Mirror Panel, Aluminum Housing, AC Only	•	3.0 lbs.	6
93162280	LUELS2GNE	Surface Edgelit Exit, Double Face, Green Letters, Mirror Panel, Aluminum Housing, Battery Backup	•	3.0 lbs.	6
93162267	LUELR1GN	Recessed Edgelit Exit, Single Face, Green Letters, Mirror Panel, Aluminum Housing, AC Only	•	6.0 lbs	3
93162268	LUELR1GNE	Recessed Edgelit Exit, Single Face, Green Letters, Mirror Panel, Aluminum Housing, Battery Backup	•	6.0 lbs	3
93162271	LUELR2GN	Recessed Edgelit Exit, Double Face, Green Letters, Mirror Panel, Aluminum Housing, AC Only	•	6.0 lbs	3
93162272	LUELR2GNE	Recessed Edgelit Exit, Double Face, Green Letters, Mirror Panel, Aluminum Housing, Battery Backup	•	6.0 lbs	3

EXITS AND COMBOS



LUCESQ LED Square Combo Offering the popular square head look

- Lamp-heads are fully adjustable

- Damp Location Listed
- Removable chevrons for flexibility in the field

Lumination #	Part #	Description	Stock Location Harrisburg, PA	Wt. Each	Master Qty.
93162259	LUCERSQ	White Finish, Square Lamp Heads, Universal Exit Face, Red Letters, NiCad Battery	•	2.5 lbs.	6
93162260	LUCEGSQ	White Finish, Square Lamp Heads, Universal Exit Face, Green Letters, NiCad Battery	•	2.5 lbs.	6



LUCE

.ED Combo

- Offering the favored round head look
- Canopy included for Ceiling/End MountMolded-in template for quick wall mount installation
- Removeable chevrons for flexibility in the field
- Remote capacity or extended run-time option
- Damp Location Listed

Lumination #	Part #	Description	Stock Location Harrisburg, PA	Wt. Each	Master Qty.
93162252	LUCER	White Finish, Round Lamp Heads, Universal Exit Face, Red Letters, NiCad Battery	•	2.5 lbs.	6
93162254	LUCERRC	White Finish, Round Lamp Heads, Universal Face, Red Letters, Remote Capacity, NiMh Battery	•	2.5 lbs.	6
93162256	LUCEG	White Finish, Round Lamp Heads, Universal Exit Face, Green Letters, NiCad Battery	•	2.5 lbs.	6
93162258	LUCEGRC	White Finish, Round Lamp Heads, Universal Face, Green Letters, Remote Capacity, NiMh Battery	•	2.5 lbs.	6
93162253	LUCERB	Black Finish, Round Lamp Heads, Universal Exit Face, Red Letters, NiCad Battery	•	2.5 lbs.	6
93162255	LUCERRCB	Black Finish, Round Lamp Heads, Universal Face, Red Letters, Remote Capacity, NiMh Battery	•	2.5 lbs.	6
93162257	LUCEGB	Black Finish, Round Lamp Heads, Universal Exit Face, Green Letters, NiCad Battery	•	2.5 lbs.	6





EMERGENCY LIGHTS



LUMEL

- LED Emergency Light

 Extended runtime or remote capacity models
- Dual voltage input 120/277VAC, 60 Hz.
- Long-life Nickel Cadmium or Nickel Metal Hydride battery
- Matching remote heads
- UL 924 Listed for damp location

Lumination #	Part #	Description	Stock Location Harrisburg, PA	Wt. Each	Master Qty.
93162232	LUMEL	White Finish, Round Head LED Emergency Light , 120/277 Input, NiCad Battery, CEC T20 Compliant	•	1.0 lbs.	12
93162233	LUMELRC	White Finish, Round Head LED Emergency Light, 120/277 Input, NiMh Battery, Remote Capacity	•	1.0 lbs.	12
93162234	LUMELB	Black Finish, Round Head LED Emergency Light, 120/277 Input, NiCad Battery, CEC T20 Compliant	•	1.0 lbs.	12
93162235	LUMELRCB	Black Finish, Round Head LED Emergency Light, 120/277 Input, NiMh Battery, Remote Capacity	•	1.0 lbs.	12



LUMELSQ

LED Emergency Light with Square Heads

- Offering the popular square head look
- Wall or Ceiling Mount
- Remote capacity or extended run-time option
- Long-life Nickel Cadmium or Nickel Metal Hydride battery
- Provided with test switch and AC-On indicator

Lumination #	Part #	Description	Stock Location Harrisburg, PA	Wt. Each	Master Qty.
93162236	LUMELSQ	White Finish, Square Head Emergency Light, 120/277VAC Input, NiCad Battery	•	1.0 lbs.	12
93162237	LUMELRCSQ	White Finish, Square Head Emergency Light, 120/277VAC Input, NiMh Battery, Remote Capacity	•	1.0 lbs.	12



LUMELHL

LED High Lumen Emergency Light

- 55' or 95' Spacing
- Designed for high ceiling height applications
 Dual voltage input 120/277VAC, 50/60 Hz.
- Long life Lithium Iron Phosphate battery
- UL 924 Listed for damp location

Lumination #	Part #	Description	Stock Location Harrisburg, PA N	Wt. Each	Master Qty.
93162238	LUMELHL	White housing, 2.7W LED lamps, 550 lumens total	•	2.6 lbs.	6
93162239	LUMEL2HL	White housing, 5.4W LED lamps, 1300 lumens total		3.0 lbs	6

EMERGENCY LIGHTS



LUMELWG

LED Wet Location Emergency Light

- Corrosion resistant UV stabilized polycarbonate
 Water-proof test switch and AC-On indicator
- Remote capacity or extended run-time option
- Fully adjustable lamp-heads
- Wet Location Listed (0°C to 50°C)

			Stock Location		Mast
Lumination #	Part #	Description	Harrisburg, PA	Wt. Each	Qty.
93162241	LUMELWG	Wet Location LED Unit, Gray Housing	•	7.5 lbs.	4



LUMELOD

LED Outdoor Emergency Light Emergency Light

- Corrosion resistant UV stabilized polycarbonate
 Water-proof test switch and AC-On indicator
- Remote capacity or extended run-time option
- Fully adjustable lamp-heads
- Wet Location Listed (0°C to 50°C)

			Stock Location		Master
Lumination #	Part #	Description	Harrisburg, PA	Wt. Each	Qty.
93162240	LUMELOD	Clear poly-carbonate shield with White Thermoplastic Housing, Dual LED Lamps, UL Wet Location	•	2.5 lbs.	6
		listed, 120/277VAC Input			



REMOTE HEADS



LURI LED Indoor Remote

- Fully adjustable lamp-heads
- Single or double lamp-head remote with base-plate
- Housing made of white or black high impact UL flame rated thermoplastic

Lumination #	Part #	Description	Stock Location Harrisburg, PA	Wt. Each	Master Qty.
93162266	LURIS	Single Head, White Indoor remote with mounting base	•	1.0 lbs.	20
93162265	LURID	Double Head White Indoor remote with mounting base	•	1.2 lbs.	20



LURO LED Outdoor Remote

- Fully adjustable lamp-heads
- Single or double lamp-head remote with baseFully gasketed for application in wet environment
- Housing made of white or black high impact UL flame rated thermoplastic

Lumination #	Part #	Description	Stock Location Harrisburg, PA	Wt. Each	Master Qty.
93162262	LUROS	Single Head, White Outdoor remote with mounting base	•	1.0 lbs.	20
93162261	LUROD	Double Head, White Outdoor remote with mounting base	•	1.2 lbs.	12
93162264	LUROSB	Single Head, Black Outdoor remote with mounting base	•	1.0 lbs.	20
93162263	LURODB	Double Head, Black Outdoor remote with mounting base	•	1.2 lbs.	12







Current - GLI Brands

25825 Science Park Beachwood, OH 44122

LED.com

© 2023 Current Lighting Solutions, LLC. All rights reserved. Information and specifications subject to change without notice. All values are design or typical values when measured under laboratory conditions.

(Rev 04/19/23)

Lumination-Life-Safety-Product-Brochure