



*Noni*TM

look book

be bold. be inspired. be seen.



Resilience: the inspiration to adapt, to redefine, to reemerge.
The need to stand and be seen. This is Kurt Versen. This is KV.

contents

the brand / 4

the environment / 6

the noni portfolio / 14

the end / 38

sometimes, it's ok


to be a tool.

A great tool is one made with purpose. One that knows why it's used, how it's used, by whom it's used. A great tool comes from knowledge, collaboration and honesty.

Artists pick the tools they trust. Tools that do what's asked of them and make the results better; the job easier.

KV is designed to be the right tool for the right artist.





welcome to your space

take a look around.

It's not about our fixture, it's about our fixture's contribution to your environment.

KV's scale, reflector and flange allow the focus to be your design. Our colors and textures complement your architectural vision. Our attention to detail reinforces your attention to detail.

It's your space; we look forward to being a part of it.

shallow plenum environments

Shallow plenum environments are a key area of focus for KV. They're hard to work with so we design our products specifically for these spaces. You don't have the time. We hear you.



open ceilings


Open ceiling spaces have many of the same challenges as shallow plenum environments. Overlook something and it's very visible. We have the options to allow you to be confident in the result.

technology that works for you.

- 2 step color consistency
- Dim-to-dark
- Warm dim
- SpectraSync™ Color Tuning & NX Distributed Intelligence™

(matching bowls & curtains sold separately)

2 STEP
Color Consistency



Shared LEDs
across all fixtures



we are...
where you want to be seen.



NoniTM

If it looks like a duck and quacks like a duck, then it's probably a small aperture family of light fixtures.







easy peasy lemon squeezy

The Noni portfolio is designed to be easy.
Easy to specify and easy to install, just... easy.

Shared apertures, design language
and finishing.

As the result our products look great
together. Almost like you planned it
that way.



*Fixtures and citrus fruit shown at actual size.





“The examined open
ceiling is worth lighting.”
—*Socrates* (sort of)

the philosophy of open ceilings

Our open-ceiling portfolio has it all — surface,
pendant, cable, downlight, and wall washer.

Did we mention they’ll look just like your
recessed products?







deep down

we're all the same.

Our recessed and cylinder reflectors are the same. Not the same design, THE SAME. Since KV makes the same parts, the same way, every time, we ship quickly & correctly.





TRUE TO SIZE

2"




shenanigans above

serenity below.

A circus above can't mean compromise below. Noni is designed specifically for spaces in which there is no space.

True 2" deep housings for downlights and wall washers.
3.5" deep for accents. Internal components hidden. All the functionality.






textures

Smooth or textured (we like the textured),
depending on what's right for the space.
Contrast vs. consistency – your call.



colors

Introducing our latest colors: Pink
Panache and Grasshopper. Through
color and trend forecasting we will
consistently offer new colors to keep
your pallet choices fresh. Our standard
colors of black, gray, graphite, white,
and copper will always be available.




correctcut technology

Worried about cutting a precise hole for a ¼" flanged product?
That changes today with KV's CorrectCut technology..




KV's housing is the template for the installer. Cut the hole too big?
Nope. A downlight that looks just as pretty installed as it does on your conference room table?
Yup.

us →



CorrectCut allows KV to safely utilize ¼" flange.


them →




Large flange to safely cover hole or trust contractor to be perfect.

you told us what you want


what you really really want.




1 @ reflector
1 @ source
2 accessory capability



translating center beam




flangeless mud-in ring



LED protection plate
pre-installed




flangeless mud-in ring
with protection plug
pre-installed



square-in-square option

*see spec sheets for details/limitations



downlights designed


with your ceiling in mind.

We toiled over installations most product people discount.

5/8" ceiling: we have a downlight reflector designed for it.

Doubling-up: we have a downlight reflector designed for it.

*shallow reflector (shown) optimized for 5/8", but compatible with ceilings up to 1 1/4" thick.





aloe there

let's relax.

What complements a great downlight?

An exceptional wall washer.

Noni's unique wall wash optics allow for a soft and uniform wash of light on the wall, creating an elegant layer of light to transform any space.

recessed

“cat” logic

HOUSING

SERIES/CATEGORY/SIZE/SHAPE		FUNCTION		HOUSING/TRIM		OUTPUT		CRI/CCT		BEAM SPREAD		DIMMING			
NOR-1.5S	Noni Recessed Family 1.5" Square	Shallow Housing (2" Depth)	DL	Downlight	RHI	Remodeler Housing, IC	8	8 Watt	Static	927K	90 CRI, 2700K	VN	Very Narrow	DM1	0–10V 1%
NOR-1.5R	Noni Recessed Family 1.5" Round		LWS	Lensed Wall Wash, Shallow	NHN	New Construction Housing, Non-IC	10	10 Watt		930K	90 CRI, 3000K	NR	Narrow	PDM	ELV, TRIAC 1%
NOR-2.5S	Noni Recessed Family 2.5" Square			NHI	New Construction Housing, IC	17	17 Watt	935K		90 CRI, 3500K	MD	Medium	ERP	0–10V, ELV, TRIAC Dim-to-Dark	
NOR-2.5R	Noni Recessed Family 2.5" Round			CP	Chicago Plenum	25	25 Watt	830K		80 CRI, 3000K	WD	Wide	PEQOE	Lutron Hi-Lume Premier 0.1%	
NOR-3.5S	Noni Recessed Family 3.5" Square	Deep Housing (3" Depth)	LWD	Lensed Wall Wash, Deep					Dynamic	835K	80 CRI, 3500K	XW	Extra Wide		<u>SpectraSync</u>
NOR-3.5R	Noni Recessed Family 3.5" Round		AA	Adjustable Accent						1830TD	90 CRI, 1800K–3000K Dim-to-Warm	SS	Square in Square	DMT	0–10V 5%
								2765T	90 CRI, 2700K–6500K SpectraSync™ Tunable White		LW	Lensed Wall Wash			

CONTROL OPTIONS		VOLTAGE		REFLECTOR FLANGE COLOR		DOWNLIGHT LENS (1.5" only)		ACCESSORIES		
N	None	U	Universal Voltage (120-277V)	Flanged	FWHS	White	SOL	Solite	RMB	Residential Mounting Bars
LV	Lutron Vive 0-10V, (120-277V)				FGYS	Gray	CLR	Clear		
LVE	Lutron Vive EcoSystem (120V Only)				FBLS	Black	FRS	Frosted	MP1.5RMB	Mounting Bars Mounting Pan
NXE	NX Wired Dual RJ45 SmartPORTS, without Sensor				FAMW	Anti-Microbial White	LIN	Linear Spread (10x40°)		
NXW	NX Networked Wireless Radio Module NXRM2 and Bluetooth™ Programming, without Sensor				FX	Custom Finish	HEX	Hexcel Louver		
				Flangeless (3.5" or Flush Mount (2.5", 1.5")	FT	Flangeless or Flush Mount	NON	No Lens		

TRIM

SERIES/CATEGORY/SIZE/SHAPE		FUNCTION		HOUSING/TRIM		REFLECTOR FLANGE COLOR		REFLECTOR INSERT COLOR		LENS			
NOR-1.5S	Noni Recessed Family 1.5" Square	1.5" Only	DL	Downlight	TRM	Trim	FWHS	White	RWH	White	SOL	Solite	
NOR-1.5R	Noni Recessed Family 1.5" Round		LW	Lensed Wall Wash			FGYS	Gray		RGY	Gray	CLR	Clear
NOR-2.5S	Noni Recessed Family 2.5" Square	Shallow Housing Compatible	DS	Downlight, Shallow (5⁄8" - 1 1⁄8" ceiling)	Flanged	Flangeless (3.5") or Flush Mount (2.5", 1.5")	FBLS	Black	Texture	RBL	Black	FRS	Frosted
NOR-2.5R	Noni Recessed Family 2.5" Round						FCOS	Copper		RGT	Graphite	LIN	Linear Spread (10x40")
NOR-3.5S	Noni Recessed Family 3.5" Square		DD	Downlight, Deep (1 1⁄4" ceiling only)			FAMW	Anti-Microbial White		RPP	Pink Panache	HEX	Hex Cell Louver
NOR-3.5R	Noni Recessed Family 3.5" Round						FX	Custom Finish		RGH	Grasshopper		
			LWS	Lensed Wall Wash, Shallow			FT	Flangeless or Flush Mount		Smooth	RWHS	White	NON
						RGYS	Gray						
						RBLS	Black						
							RCOS	Copper					
							RAMW	Anti-Microbial White					
		Deep Housing Compatible	LWD	Lensed Wall Wash, Deep					Other	RX	Custom Finish		
			AA	Adjustable Acc ent									
*For overview purposes only. Not all options are available in combination. For complete ordering information, see specification sheets.													

*For overview purposes only. Not all options are available in combination. For complete ordering information, see specification sheets.



cylinder

order up

HOUSING

Series/Category/Size/Shape		Function		Housing/Trim		Canopy		Mounting		Output		CRI/CCT		
NOC-1.5S	Noni Cylinder Family 1.5" Square	DL	Downlight	CHN	Cylinder Housing	CS	Standard	PR	Rigid Stem Standard	8	8 Watt	Static	927K	90 CRI, 2700K
NOC-1.5R	Noni Cylinder Family 1.5" Round	LW	Lensed Wall Wash			CX	Standard with Controls	PR_	Rigid Stem, Custom	10	10 Watt		930K	90 CRI, 3000K
NOC-2.5S	Noni Cylinder Family 2.5" Square					CC	Conduit	P	Swivel Stem, Standard	17	17 Watt		935K	90 CRI, 3500K
NOC-2.5R	Noni Cylinder Family 2.5" Round					CY	Conduit with Controls	P_	Swivel Stem, Custom	25	25 Watt		940K	90 CRI, 4000K
NOC-3.5S	Noni Cylinder Family 3.5" Square							CMBL	6ft Black Cord with Cable				830K	80 CRI, 3000K
NOC-3.5R	Noni Cylinder Family 3.5" Round							CMWH	6ft White Cord with Cable			835K	80 CRI, 3500K	
								CM15BL	15ft Black Cord with Cable			Dynamic	1830TD	90 CRI, 1800K–3000K Dim-to-Warm
								CM15WH	15ft White Cord with Cable				2765T	90 CRI, 2700K–6500K SpectraSync™ Tunable White
								SU	Surface					

BEAM SPREAD		DIMMING		CONTROL OPTIONS		VOLTAGE		CYLINDER HOUSING COLOR		DOWNLIGHT LENS (1.5" only)		ACCESSORIES	
VN	Very Narrow	Standard	DM1	0–10V 1%	N	None	U	Texture	WH	SOL	Solite	MP1.5RMB	Mounting Bars Mounting Pan
NR	Narrow		PDM	ELV, TRIAC 1%	NXE	NX Wired Dual RJ45 SmartPORTS, without Sensor			GY	CLR	Clear		
MD	Medium		ERP	0–10V, ELV, TRIAC	NXW	NX Networked Wireless Radio Module NXRM2 and Bluetooth™ Programming, without Sensor			BL	FRS	Frosted		
WD	Wide			Dim-to-Dark					GT	LIN	Linear Spread (10x40°)		
XW	Extra Wide		PEQ0E	Lutron Hi- Lume Premier 0.1%					PP	HEX	Hexcel Louver		
SS	Square in Square	SpectraSync						Smooth	HG	NON	No Lens		
LW	Lensed Wall Wash								WHs				
									GYs				
									BLS				
									COS				
									AMW				
								Other	X				

TRIM

SERIES/CATEGORY/SIZE/SHAPE		FUNCTION		HOUSING/TRIM		REFLECTOR INSERT COLOR		LENS		*For overview purposes only. Not all options are available in combination. For complete ordering information, see specification sheets.
NOC-1.5S	Noni Cylinder Family 1.5" Square	DL	Downlight	TRM	Trim	Texture	RWH	SOL	Solite	
NOC-1.5R	Noni Cylinder Family 1.5" Round	LW	Lensed Wall Wash				RGY	FRS	Frosted	
NOC-2.5S	Noni Cylinder Family 2.5" Square						RBL	CLR	Clear	
NOC-2.5R	Noni Cylinder Family 2.5" Round						RGT	LIN	Linear Spread	
NOC-3.5S	Noni Cylinder Family 3.5" Square						RPP	HEX	Hex Cell Louver	
NOC-3.5R	Noni Cylinder Family 3.5" Round					Smooth	RGH	NON	No Lens	
							RWHS			
							RGYS			
							RBLs			
							RCOS			
							RAMW			
						Other	RX			



there's more brewing

think of us as your lighting barista.

We hope we perked you up.

Noni is the first step in a new beginning for Kurt Versen.

We look forward to creating more tools for your spaces.

Those spaces in which you want to be seen.
In a way that's refreshingly easy for all of us.

However you like it, KV is here to delight you.

be bold. be inspired. be seen. be Kurt Versen.





Current Lighting Solutions, LLC

701 Millennium Blvd.
Greenville, SC 29607

currentlighting.com/prescolite

© 2026 HLI Solutions, Inc. All rights reserved. Information and specifications subject to change without notice. All values are design or typical values when measured under laboratory conditions.

Rev 06/25/26

PRE_KV_Lookbook_R03
