



SPECTRACLEAN™
ANTIMICROBIAL LIGHTING




SPECTRA CLEAN™

What if you could utilize lighting to effectively and continuously disinfect your environment? Current's SpectraClean™ luminaires provide continuous environmental disinfection as part of the lighting system. It automatically treats harmful microorganisms, trapped on objects and residing on surfaces.






How It Works

SpectraClean™ luminaires leverage developments in the disciplines of lighting science and microbiology to combine white and narrowband 405 nanometer visible light. This innovation meets ambient and task lighting requirements while providing a continuous, unobtrusive disinfection option for commercial applications.

The germicidal effects of narrowband visible light suppress a wide range of bacteria, molds, fungi and yeast. SpectraClean's antimicrobial light induces the production of damaging reactive oxygen species in harmful microorganisms to accelerate cell inactivation.



Antimicrobial disinfection through illumination is proven effective with proper dosage levels on pathogens attached to a variety of surfaces, materials and objects. SpectraClean is concentrated outside the UV spectrum and will not have the same damaging effects UV systems can have on non-harmful plant and animal cells or inanimate materials.



Continuous

Provides continuous environmental disinfection



Supplemental

Complements traditional disinfection efforts



Hands-off

Operates automatically without human intervention



Sustainable

Maintains effectiveness against pathogens



Multipurpose

Effective for hard & soft surfaces



Versatile

Varied options for employing SpectraClean™ technology



Flexible

Delivers benefits in four modes to fit the needs of the desired application

What It Does

SpectraClean™ is proven effective for a wide range of microorganisms, including antibiotic resistant ESKAPE Pathogens:

Infection Risks

E. faecium - Enterococcus faecium

MRSA - Staphylococcus aureus

Pneumoniae - Klebsiella pneumoniae

Acinetobacter baumannii

Pseudomonas aeruginosa

Surface Contamination Risks

MRSA - Staphylococcus aureus

Staph - Staphylococcus epidermidis

Staph - Staphylococcus hyicus

Strep Throat - Streptococcus pyogenes

Thrush - Candida albicans

Skin Infections - Mycobacterium terrae

Proteus vulgaris

Serratia spp

Foodborne Risks

Food poisoning - Campylobacter jejuni

E coli - Escherichia coli

Salmonella - Salmonella enteritidis

Listeria - Listeria monocytogenes

C Diff - Clostridium difficile

Shigella - Shigella sonnei

Bacillus cereus

C. perfringens - Clostridium perfringens

Agriculture Risks

Common scab - Streptomyces (root vegetables like potatoes)

Black mold - Aspergillus niger (fruits and vegetables)

Baking/Brewing Yeast - Saccharomyces cerevisiae




How To Apply It

SpectraClean™ luminaires are available in four modes, allowing customization for the needs of the specific application. When coupled with occupancy sensors and room controllers, SpectraClean luminaires can be controlled based on usage or with pre-programmed schedules.



Blended B


One luminaire. One mode of operation. This option combines SpectraClean Antimicrobial Lighting with white light to provide class leading illumination while maintaining the appearance of a traditional white LED source. This allows for in-use disinfection.




- Business hours, occupied times - white light blended with SpectraClean™
- Off hours, unoccupied times - light system off

Blended Plus B+

One luminaire. Two modes of operation. This combines SpectraClean enhanced white light with a high dosage SpectraClean mode for periods of accelerated disinfection.




- Business hours, occupied times - white light blended with SpectraClean
- Business hours, unoccupied times - dimmed white light blended with SpectraClean
- Off hours, unoccupied times - scheduled cleaning with high dosage SpectraClean
- Off hours, unoccupied times - light system off



Independent N

One luminaire. Two modes of operation. This configuration operates discretely either as high dosage SpectraClean Antimicrobial Lighting or white ambient lighting. This SpectraClean mode is intended for periods of accelerated disinfection while the space is not being used.




- Occupied times - white ambient/task lighting
- Off hours, unoccupied times - scheduled cleaning with high dosage SpectraClean™
- Off hours, unoccupied times - light system off



Dedicated D

One luminaire. One mode of operation. This configuration is a high dosage SpectraClean Antimicrobial Lighting solution for concentrated disinfection, independent of white ambient lighting.



- Production times - targeted cleaning with high dosage SpectraClean™
- Off hours, unoccupied times - light system off

Where To Use It

Areas of Congregation



Recreation & Wellness

Locker Rooms
Exercise Rooms
Equipment Rooms
Restroom Facilities

Education & Childcare

Schools
Daycare Centers
Laboratories
Dormitories
Restroom Facilities
Shower Facilities

Hospitality & Hotel

Common Areas
Recreation Rooms
Food Preparation
Restroom Facilities
Convention Venues
Meeting Rooms

Public Transportation

Airports
Bus Terminals
Train Stations
Subway Stations
Elevators

Cleanrooms

Laboratories
Specialized Manufacturing Areas
Storage of Sensitive Materials

Retail

Grocers
Big Box Stores
Department Stores
Pharmacies

Food and Beverage Industry



Food Manufacturing

Food Production Lines

Food Packaging

Packaging and Bulk Processing

Food Processing

Production and Preparation Areas

Food Preparation

Grocery Stores

Produce

Delis

Butchers

Kitchens

Dining

Quick Serve Restaurants

Cafeterias

Dining Halls

SCCT | SpectraClean™ Contemporary Architectural Troffer

Office | Education | Transportation | Retail | Food Service Projects



- LED troffer with high efficiency acrylic center lens features linear prisms for performance without pixilation
- High performance reflector with matte white paint
- Available in 2'x4', 2'x2' and 1'x4'

B B+ N

SCLT | SpectraClean Lensed Troffer

Office | Education | Transportation | Retail | Food Service Projects



- Full Distribution LED troffer with acrylic lens for light diffusion without compromise to light output
- Luminaire housing, end caps and reflectors are die formed code gauge cold rolled steel
- Available in 2'x4', 2'x2' and 1'x4'

B B+ N

SCST | SpectraClean Striplight

Storage | Utility | Food Preparation



- LED lensed striplight with heavy die-formed steel channel, 100% acrylic formed lens to eliminate pixilation and reduce glare
- Available in 4' and 8' lengths

B B+ N D

SCVM | SpectraClean Linear Vaportite

Storage | Utility | Food Manufacturing | Food Processing | Food Preparation



- Enclosed and gasketed linear vaportite with impact resistant lens options
- Smooth fiberglass housing with F1 weatherability rating
- Available in 4' and 8' IP67 rated lengths
- -40°C (-104°F) minimum operating temperature
- UL Sanitation Certified per NSF Standards

B B+ N D

SCVW | SpectraClean Linear Vaportite

Storage | Utility | Food Manufacturing | Food Processing | Food Preparation



- Enclosed and gasketed wide body linear vaportite with impact resistant lens options
- Smooth fiberglass housing with F1 weatherability rating
- IP67 rated 4' luminaire
- -40°C (-104°F) minimum operating temperature
- UL Sanitation Certified per NSF Standards

N D



HLI Solutions, Inc

701 Millennium Blvd.
Greenville, SC 29607

[currentlighting.com/SpectraClean](https://www.currentlighting.com/SpectraClean)

© 2022 HLI Solutions, Inc. All rights reserved. Information and specifications subject to change without notice. All values are design or typical values when measured under laboratory conditions.

(Rev 11/30/21)

HLI18000056
