



AUTHENTIC LIFE SAFETY PRODUCTS SINCE 1940



PG Series

High Performance LED Emergency Lighting

INNOVATIVE **LED** Emergency Lighting

The **PG Series** addresses the demand for code compliant emergency lighting coupled with the benefits of advanced solid state lighting technology. Sleek architectural design and contemporary elegance blend well in both indoor and outdoor surroundings. Models are available as traditional “normally off” emergency only fixtures as well as dual purpose “normally on” and “normally off” models.

PG SERIES



FUNCTION

The PG Series provides unique options for your specific application's requirements.



PG

Emergency with Battery

Emergency Operation
Spectron Self-Diagnostic
Nickel Cadmium Battery
Optional Heater
UL924 Wet Location

PGN

Normally On Emergency

Normally On Operation
DC Emergency Operation
Full Cut-off Shield
UL924 Wet Location

PGR

Emergency Remote


Emergency Operation
UL1598 Wet Location

PGF1

Normally On Emergency

Normally On Operation
AC Emergency Operation
Full Cut-off Shield
UL1598 Wet Location

ELECTRICAL



BLACK

PG
PGN
PGR

PLATINUM
SILVER

PG
PGN
PGR
PGF1

DARK
BRONZE

PG
PGN
PGR
PGF1

WHITE

PG
PGN
PGR

COMMON FEATURES

- Multiple Operating Modes
- High Performance LED
- Die-Cast Aluminum
- UL Wet Location
- Multiple Finishes

DIMENSIONS

Actual Size




PERFORMANCE

Dual-Lite's use of high performance LEDs, coupled with a unique reflector design, delivers photometric performance that is optimized specifically for emergency egress paths.

	SOURCE	TYPICAL COVERAGE	TYPICAL SPACING
PG	4 LEDs (2x2 Redundancy) Color Temp 6350K 405 Lumens	1FC Average Indoor 33'x10' 1FC Average Outdoor 27'x10'	Indoor 44' Outdoor 33'
PGN PGR	4 LEDs (2x2 Redundancy) Color Temp 4000K 445 Lumens	1FC Average Indoor 35'x10' 1FC Average Outdoor 29'x10'	Indoor 49' Outdoor 37'
PGF1	7 LEDs Color Temp 4300K 1067 Lumens	1FC Average Indoor 48'x22' 1FC Average Outdoor 40'x20'	Indoor 56' Outdoor 44'



Kelvin Color Temperature Scale



PGS SERIES



Current Lighting Solutions, LLC

701 Millennium Blvd.
Greenville, SC 29607

currentlighting.com/dual-lite

© 2022 HLI Solutions, Inc. All rights reserved. Information and specifications subject to change without notice. All values are design or typical values when measured under laboratory conditions.

Rev 05/24/22

pgseriesbrochure_R01
