## ERA® Collection Pole Drilling - HA12L / HA12S Installation Instructions For Mounting Fixtures on Poles By Others

1A

2.0

1.9

2.1

1.4

1.3

1.7 2.2

1.6

2B

4.0

3.8

4.2

2.8

2.6

3.4

4.4

3.2

3Y

5.2

4.9

5.4

3.6

3.3

4.5

5.4

4.2

4C

5.7

5.3

6.2

3.9

3.6

5.0

6.1


4.7

Fixture mounting arrangements: The desired mounting arrangement will determine the required position of drilling on pole by others. Mounting arrangement is determined by KIm catalog number.

		Example: <u>2</u> <u>B</u> / <u>H</u> . Quantity of fixture per pole Mounting Arrangement	A12L Fixture Catalog No.
1A	•-	Drilling shown for fixture mounting "A"	Mounting Cat. No. Arm/Fixture EPA:
2B	•-•	For fixture mounting "B" Drilling shown typical, 2 places at $180^{\circ} \pm 1^{\circ}$	<b>Large - HA12L</b> RA25 AE21/BE21 LE26
3Ү	•	For fixture mounting "Y" Drilling shown typical, 3 places at 120° <u>+</u> 1°	Small - HA12S RA17 AE17/BE17 NS SRS LE19
4C	•	For fixture mounting "C" Drilling shown typical, 4 places at $90^{\circ} \pm 1^{\circ}$	

For other heritage mounting arrangements such as: CCS, CSL, SAS, SAL please consult factory.

Note: For proper drilling of poles be sure to note fixture orientation to anchor bolts. Select one of the orientations suited to your pole and keep consistent for all poles the same. Drawings below show proper orientation for fixture mounting arrangement "A". Arrangements "B", "Y", and "C" are typical.




Kim Lighting shall supply fixture, support arm and fixture mounting hardware. All others shall be supplied by pole vendors.

#### currentlighting.com/kimlighting

© 2022 HLI Solutions, Inc. All rights reserved. Information and specifications subject to change without notice. All values are design or typical values when measured under laboratory conditions.

# Heritage Collection Anchor Bolt Installation Guide



### KIM LIGHTING LIMITED WARRANTY

When installed in accordance with Kim Installation Instructions and accepted trade practices, the following shall apply:

#### **General Product Limited Warranty Coverage**

All material and component parts used in the manufacture of Kim Products, are warranted to be free from defects of material and/or workmanship for a period of 1 year from date of sale, with the following exceptions:

#### **Auxiliary Equipment**

All auxiliary equipment (such as lamps, ballast, and transformers) provided by and/or included in Kim Products shall carry the component manufacturer's warranty.

#### **Copper and Bronze Landscape Components**

Copper and Bronze Landscape fixture components shall be warranted against defects of material and/or workmanship, and failure due to corrosion, for a period of 25 years from date of sale.

#### **Composite In-Grade Components**

Composite In-Grade fixture components installed below grade, shall be warranted against defects of material and/or workmanship, and failure due to corrosion, for a period of 7 years from date of sale.

#### **Aluminum Landscape Components**

Aluminum Landscape fixture components not in direct contact with soil, shall be warranted against defects of material and/or workmanship for a period of 3 years from date of sale. Aluminum fixture components in direct contact with soil shall be warranted from defects of material and failure from corrosion for a period of 1 year from date of sale.

#### Limit of Liability and General Conditions

Only products which are installed, used and maintained in accordance with applicable Kim instructions, specifications and accepted trade practices, are covered by the Kim Warranty. During the warranty period, with the proof of purchase, Kim will repair or replace with the same or similar product, at Kim's option, without charge. Labor costs are the owner's responsibility and are excluded from this warranty. This warranty is void if the product is modified, tampered with, misapplied, poorly installed, improperly maintained, or subjected to abnormal conditions.

Repair or replacement as provided under this warranty is the exclusive remedy of the purchaser. This warranty is in lieu of all other warranties, expressed or implied, including any implied warranty of fitness for a particular application. Kim Lighting shall not be liable to the purchaser for indirect or consequential damages.


#### currentlighting.com/kimlighting

© 2022 HLI Solutions, Inc. All rights reserved. Information and specifications subject to change without notice. All values are design or typical values when measured under laboratory conditions.

## **ERA® Collection Pole Drilling - HA12L / HA12S** For Mounting Fixtures on Poles By Others Installation Instructions

Below is the information you must furnish Kim Lighting so we may supply the proper support arm for mounting KIM fixtures to poles by other.

Pole Size:



Fill in the information below and return to KIM Lighting, Inc.

Job Name: \_\_\_\_\_ Pole Vendor: \_\_\_\_\_ KIM Invoice No.: \_\_\_\_\_ Date: \_\_\_\_

	alled in accordance with Kim Installation Instructions and accepted trade practices, the following shall apply: Product Limited Warranty Coverage
All materia	al and component parts used in the manufacture of Kim Products, are warranted to be free from defects of nd/or workmanship for a period of 1 year from date of sale, with the following exceptions:
Auxiliary	Equipment
	ry equipment (such as lamps, ballasts, and transformers) provided by and/or included in Kim Products shall component manufacturer's warranty.
Copper a	nd Bronze Landscape Components
and failure	nd Bronze Landscape fixture components shall be warranted against defects of material and/or workmanship, e due to corrosion, for a period of 25 years from date of sale.
Composit	te In-Grade Components
workmans	e In-Grade fixture components installed below grade, shall be warranted against defects of material and/or ship, and failure due to corrosion, for a period of 7 years from date of sale.
	n Landscape Components
and/or wo	Landscape fixture components not in direct contact with soil, shall be warranted against defects of material rkmanship for a period of 3 years from date of sale. Aluminum fixture components in direct contact with soil sha ted from defects of material and failure from corrosion for a period of 1 year from date of sale.
Limit of L	iability and General Conditions
and accep will repair responsibi misapplied	lucts which are installed, used and maintained in accordance with applicable Kim instructions, specifications oted trade practices, are covered by the Kim Warranty. During the warranty period, with proof of purchase, Kim or replace with the same or similar product, at Kim's option, without charge. Labor costs are the owner's ility and are excluded from this warranty. This warranty is void if the product is modified, tampered with, d, poorly installed, improperly maintained, or subjected to abnormal conditions.
all other w	replacement as provided under this warranty is the exclusive remedy of the purchaser. This warranty is in lieu o varranties, expressed or implied, including any implied warranty of fitness for a particular application. Kim hall not be liable to the purchaser for indirect or consequential damages.

#### currentlighting.com/kimlighting

© 2022 HLI Solutions, Inc. All rights reserved. Information and specifications subject to change without notice. All values are design or typical values when measured under laboratory conditions.