Lighting Controls


Wall Station Custom Text Order Form LVSRJ45

Contact Phone Number	DO #
Contact Phone Number Shipping Address State State State Custom Text (-CT) is an option to allow customers to create unique text to apply on a buttor based on unique and personalized requirements C To potion is based on custom text not currently available from our preset list CT option is based on custom text not currently available from our preset list CT options are unique and will require longer lead times 8 Character limit. Text requests over 8 characters will be required to be abbreviated Spaces of towards a character. 1 Ext will be 5pt., Arial Narrow, all caps Light pipes are always on the left Red and Black caps will be provided with white text. White, Light Almond, Gray and Ivory caps will be provided with black text. Special characters may be used, however will require additional internal efforts to define the factory. (See special notes field on the bottom of this page.) Pilot light functionality is not supported with Off or Raise/Lower type buttons. HOW TO ORDER Complete this Custom Text form including your purchase order number and contact informationability is not supported with off or Raise/Lower type buttons. HOW TO ORDER Complete this Custom Text form including your purchase order number and contact informationability is not supported with off or Raise/Lower type buttons. HOW TO ORDER Complete this Custom Text form on Oasis. For questions about your order, please contact your customation provided to customer service must be in the original editable PDF format. They may Norder forms provided to customer service must be in the original editable PDF format. They may Nordering part numbers (LVSR) CATALOG # Model	PO#
NOTES Custom Text (-CT) is an option to allow customers to create unique text to apply on a buttor based on unique and personalized requirements CT option is based on custom text not currently available from our preset list CT option is based on custom text not currently available from our preset list CT option is based on custom text not currently available from our preset list CT option is based on custom text not currently available from our preset list CT option is based on custom text not currently available from our preset list CT option is based on custom text not currently available from our preset list CT option is based on custom text not currently available from our preset list CT option is based on custom text not currently available from our preset list CT option is based on custom from a large and times Light pipes are always on the left Red and Black caps will be provided with white text. White, Light Almond, Gray and Ivory caps will be provided with black text. Special characters may be used, however will require additional internal efforts to define the factory. (See special notes field on the bottom of this page.) Pilot light functionality is not supported with Off or Raise/Lower type buttons. HOW TO ORDER Complete this Custom Text form including your purchase order number and contact inform. Each -CT, custom button cap request requires a completed Custom Text Order Form. Text will capital letters. Submit a PO and the form on Oasis. For questions about your order, please contact your Cus order forms provided to customer service must be in the original editable PDF format. They may Nordering part numbers (LVSRJ45) CATALOG # Model - Device - Size - Light Pipe - Complete the contact information and progresses right Non-light pipe text is centered on the button cap CUSTOMER APPROVAL: I hereby agree that the spelling, capitalization and arrangement of the	
NOTES Custom Text (-CT) is an option to allow customers to create unique text to apply on a buttor based on unique and personalized requirements CT option is based on custom text not currently available from our preset list CT options are unique and will require longer lead times 8 Character limit. Text requests over 8 characters will be required to be abbreviated Spaces of towards a character. Text will be Spt., Arial Narrow, all caps Light pipes are always on the left Red and Black caps will be provided with white text. White, Light Almond, Gray and Ivory caps will be provided with black text. Special characters may be used, however will require additional internal efforts to define the factory. (See special notes field on the bottom of this page.) Pilot light functionality is not supported with Off or Raise/Lower type buttons. HOW TO ORDER Complete this Custom Text form including your purchase order number and contact informact provided the custom button cap request requires a completed Custom Text Order Form. Text will capital letters. Submit a PO and the form on Oasis. For questions about your order, please contact your Cus* Order forms provided to customer service must be in the original editable PDF format. They may NOrdering part numbers (LVSRJ45) CATALOG # Model	
Custom Text (-CT) is an option to allow customers to create unique text to apply on a buttor based on unique and personalized requirements CT option is based on custom text not currently available from our preset list CT options are unique and will require longer lead times 8 Character limit. Text requests over 8 characters will be required to be abbreviated Spaces of towards a character. Text will be 5pt., Arial Narrow, all caps Light pipes are always on the left Red and Black caps will be provided with white text. White, Light Almond, Gray and Ivory caps will be provided with black text. Special characters may be used, however will require additional internal efforts to define the factory. (See special notes field on the bottom of this page.) Pilot light functionality is not supported with Off or Raise/Lower type buttons. HOW TO ORDER 1. Complete this Custom Text form including your purchase order number and contact inform. 2. Each -CT, custom button cap request requires a completed Custom Text Order Form. Text wil capital letters. 3. Submit a PO and the form on Oasis. For questions about your order, please contact your Cus **Order forms provided to customer service must be in the original editable PDF format. They may N Ordering part numbers (LVSRJ45) CATALOG # Model	Zip Code
based on unique and personalized requirements C To potion is based on custom text not currently available from our preset list CT options are unique and will require longer lead times 8 Character limit. Text requests over 8 characters will be required to be abbreviated Spaces of towards a character. Text will be 5pt., Arial Narrow, all caps Light pipes are always on the left Red and Black caps will be provided with white text. White, Light Almond, Gray and Ivory caps will be provided with black text. Special characters may be used, however will require additional internal efforts to define the factory. (See special notes field on the bottom of this page.) Pilot light functionality is not supported with Off or Raise/Lower type buttons. HOW TO ORDER Complete this Custom Text form including your purchase order number and contact inform. Each - CT, custom button cap request requires a completed Custom Text Order Form. Text will capital letters. Submit a PO and the form on Oasis. For questions about your order, please contact your Cus corder forms provided to customer service must be in the original editable PDF format. They may Norder forms provided to customer service must be in the original editable PDF format. They may Nordering part numbers (LVSRJ45) CATALOG # Model	·
*Notes: LySRJ45 wall station only comes in 1-4 cap size (L) Light Pipe text starts at the light pipe and progresses right Non-light pipe text is centered on the button cap CUSTOMER NOTES: CUSTOMER APPROVAL: I hereby agree that the spelling, capitalization and arrangement of the	count 1-4 Button w/ Light Pipe The to The printed exactly as written, so please write in all sistomer Service Rep.
*Notes: LVSRJ45 wall station only comes in 1-4 cap size (L) Light Pipe text starts at the light pipe and progresses right Non-light pipe text is centered on the button cap CUSTOMER NOTES: CUSTOMER APPROVAL: I hereby agree that the spelling, capitalization and arrangement of the	EXAMPLE: BTA-V-L-N-GY-CT-CUR
*Notes: • LVSRJ45 wall station only comes in 1-4 cap size (L) • Light Pipe text starts at the light pipe and progresses right • Non-light pipe text is centered on the button cap CUSTOMER NOTES: CUSTOMER APPROVAL: I hereby agree that the spelling, capitalization and arrangement of the spelling of	Color - Custom Text
*Notes: Light Pipe text starts at the light pipe and progresses right Non-light pipe text is centered on the button cap CUSTOMER NOTES: CUSTOMER APPROVAL: I hereby agree that the spelling, capitalization and arrangement of the spelling of the spellin	
 LVSRJ45 wall station only comes in 1-4 cap size (L) Light Pipe text starts at the light pipe and progresses right Non-light pipe text is centered on the button cap CUSTOMER NOTES: CUSTOMER APPROVAL: I hereby agree that the spelling, capitalization and arrangement of the company of the compa	CT -
CUSTOMER APPROVAL: I hereby agree that the spelling, capitalization and arrangement of the	*All Custom Text (CT) must be written in all caps
correct and release for manufacturing without further review.	the text shown on the attached Custom Text order is



BTD-R-L-P-(x)-CT-

*All Custom Text (CT) must be written in **all caps**



* (x) INDICATES THE WALL STATION DEVICE NAME

*PRINTED PART NO.	BUTTON PART NO.	BUTTON COLOR	IMAGE COLOR
BTD-(x)-L-P-WH-	30-00583-01	WHITE	BLACK
BTD-(x)-L-P-GY-	30-00583-03	GRAY	BLACK
BTD-(x)-L-P-LA-	30-00583-04	LIGHT ALMOND	BLACK
BTD-(x)-L-P-BK-	30-00583-05	BLACK	WHITE
BTD-(x)-L-P-IV-	30-00583-07	IVORY	BLACK
BTD-(x)-L-P-RD-	30-00583-10	RED	WHITE

NOTES:

- 1. CURRENT TO PROVIDE IMAGE SOFTWARE FILE (*.ai OR .EPS).
- 2. LIGHT PIPE IS TO ALWAYS BE ON THE LEFT OF TEXT ORIENTATION
- 3. POSITION IMAGE ON BUTTON AS SHOWN -CENTERED TEXT SHOWN AS REF.
- 4. IMAGE TO BE FREE OF SMEARS, SMUDGES AND FOREIGN MATERIALS.

Current @

TITLE

SCALE:

BUTTON LABELED W/LIGHTPIPE


WEIGHT:

DUTTON LABELED W/LIGHTPIPE			
SIZE	DWG NO	REV	
Α	30-00583-xx_	Α	

SHEET 1 OF 1

BTD-R-L-N-(x)-CT-

*All Custom Text (CT) must be written in **all caps**



*PRINTED PART NO.	BUTTON PART NO.	BUTTON COLOR	IMAGE COLOR
BTD-(x)-L-N-WH-	30-00419-01	WHITE	BLACK
BTD-(x)-L-N-GY-	30-00419-03	GRAY	BLACK
BTD-(x)-L-N-LA-	30-00419-04	LIGHT ALMOND	BLACK
BTD-(x)-L-N-BK-	30-00419-05	BLACK	WHITE
BTD-(x)-L-N-IV-	30-00419-07	IVORY	BLACK
BTD-(x)-L-N-RD-	30-00419-10	RED	WHITE

NOTES:

- 1. CURRENT TO PROVIDE IMAGE SOFTWARE FILE (*.ai OR .EPS).
- 2. POSITION IMAGE ON BUTTON AS SHOWN -CENTERED TEXT SHOWN AS REF.
- 3. IMAGE TO BE FREE OF SMEARS, SMUDGES AND FOREIGN MATERIALS.

Current @

TITLE

RUTTON LARFLED

DOTTON LABELLE			
SIZE	DWG NO	REV	
Α	30-00419-xx_	Α	

SCALE: WEIGHT: SHEET 1 OF 1