Lighting Controls

Troject Name	PO	#	
Contact Name	Company Name		
Contact Phone Number	Shipping Address		
City	State	Zip Cod	e
NOTES			
 Custom Text (-CT) is an option to allow cust based on unique and personalized requirer CT option is based on custom text not curre 			
 CT options are unique and will require long 			
 8 Character limit. Text requests over 8 chara- towards a character. 	cters will be required to be abbreviated Spaces count		
 Text will be 5pt., Arial Narrow, all caps 			
 Light pipes are always on the left 			
 Red and Black caps will be provided with 		1-4 Button w/ Light Pipe	6 Button w/ Light Pipe
 White, Light Almond, Gray and Ivory caps Special characters may be used, however the factory. (See special notes field on the Pilot light functionality is not supported v 	will require additional internal efforts to define to bottom of this page.)	,	5 .
Complete this Custom Text form including y Each -CT, custom button cap request require	rour purchase order number and contact information. es a completed Custom Text Order Form. Text will be p	rinted exactly as writte	n, so please write in
 Complete this Custom Text form including year. Each -CT, custom button cap request required all capital letters. Submit a PO and the form on Oasis. For que *Order forms provided to customer service must 	-	r Service Rep.	·
 Complete this Custom Text form including year. Each -CT, custom button cap request requiral capital letters. Submit a PO and the form on Oasis. For que *Order forms provided to customer service must Ordering part numbers (NX) 	es a completed Custom Text Order Form. Text will be postions about your order, please contact your Customer	r Service Rep.	·
 Complete this Custom Text form including year. Each -CT, custom button cap request requiral capital letters. Submit a PO and the form on Oasis. For que *Order forms provided to customer service must Ordering part numbers (NX) 	es a completed Custom Text Order Form. Text will be postions about your order, please contact your Customer	r Service Rep. scanned, handwritten, f	·
 Complete this Custom Text form including year. Each -CT, custom button cap request requiral capital letters. Submit a PO and the form on Oasis. For que *Order forms provided to customer service must Ordering part numbers (NX) 	es a completed Custom Text Order Form. Text will be postions about your order, please contact your Customer be in the original editable PDF format. They may NOT be	r Service Rep. scanned, handwritten, f	axed, or photocopied.
1. Complete this Custom Text form including year. 2. Each -CT, custom button cap request require all capital letters. 3. Submit a PO and the form on Oasis. For que *Order forms provided to customer service must Ordering part numbers (NX) CATALOG # Model – Device – Size	es a completed Custom Text Order Form. Text will be postions about your order, please contact your Customer be in the original editable PDF format. They may NOT be	r Service Rep. scanned, handwritten, f	axed, or photocopied. BTA-V-L-N-GY-CT-CUF
1. Complete this Custom Text form including y 2. Each -CT, custom button cap request require all capital letters. 3. Submit a PO and the form on Oasis. For que *Order forms provided to customer service must Ordering part numbers (NX) CATALOG # Model - Device - Size BTD N	es a completed Custom Text Order Form. Text will be postions about your order, please contact your Customer be in the original editable PDF format. They may NOT be - Light Pipe - Color	EXAMPLE: - *All Cu	axed, or photocopied. BTA-V-L-N-GY-CT-CUF
1. Complete this Custom Text form including year. 2. Each -CT, custom button cap request require all capital letters. 3. Submit a PO and the form on Oasis. For que *Order forms provided to customer service must Ordering part numbers (NX) CATALOG # Model - Device - Size BTD N *Notes: Light Pipe text starts at the light pipe and progresses right. Non-light pipe text is centered on the button cap	es a completed Custom Text Order Form. Text will be postions about your order, please contact your Customer be in the original editable PDF format. They may NOT be - Light Pipe - Color	EXAMPLE: - *All Cu	axed, or photocopied. BTA-V-L-N-GY-CT-CUF Custom Text ustom Text (CT) must be
1. Complete this Custom Text form including your cape and the form on Oasis. For quest of Corder forms provided to customer service must cordering part numbers (NX) CATALOG # Model - Device - Size BTD N *Notes: Light Pipe text starts at the light pipe and progresses rice. Non-light pipe text is centered on the button cap	es a completed Custom Text Order Form. Text will be postions about your order, please contact your Customer be in the original editable PDF format. They may NOT be - Light Pipe - Color	EXAMPLE: - *All Cu	BTA-V-L-N-GY-CT-CUF Custom Text ustom Text (CT) must be
1. Complete this Custom Text form including to 2. Each -CT, custom button cap request require all capital letters. 3. Submit a PO and the form on Oasis. For quest order forms provided to customer service must ordering part numbers (NX) CATALOG # Model - Device - Size BTD N *Notes: Light Pipe text starts at the light pipe and progresses rich Non-light pipe text is centered on the button cap	es a completed Custom Text Order Form. Text will be postions about your order, please contact your Customer be in the original editable PDF format. They may NOT be - Light Pipe - Color	EXAMPLE: - *All Cu	BTA-V-L-N-GY-CT-CUF Custom Text ustom Text (CT) must be
1. Complete this Custom Text form including to 2. Each -CT, custom button cap request require all capital letters. 3. Submit a PO and the form on Oasis. For quest order forms provided to customer service must ordering part numbers (NX) CATALOG # Model - Device - Size BTD N *Notes: Light Pipe text starts at the light pipe and progresses rich Non-light pipe text is centered on the button cap	es a completed Custom Text Order Form. Text will be postions about your order, please contact your Customer be in the original editable PDF format. They may NOT be - Light Pipe - Color	EXAMPLE: - *All Cu	BTA-V-L-N-GY-CT-CUF Custom Text ustom Text (CT) must be
1. Complete this Custom Text form including your cape and the form on Oasis. For quest of Corder forms provided to customer service must cordering part numbers (NX) CATALOG # Model - Device - Size BTD N *Notes: Light Pipe text starts at the light pipe and progresses rice. Non-light pipe text is centered on the button cap	es a completed Custom Text Order Form. Text will be postions about your order, please contact your Customer be in the original editable PDF format. They may NOT be - Light Pipe - Color	EXAMPLE: - *All Cu	BTA-V-L-N-GY-CT-CUF Custom Text ustom Text (CT) must be
1. Complete this Custom Text form including your cape and progresses right. 2. Each -CT, custom button cap request require all capital letters. 3. Submit a PO and the form on Oasis. For que to reduce the forms provided to customer service must ordering part numbers (NX) CATALOG # Model - Device - Size BTD N *Notes: Light Pipe text starts at the light pipe and progresses right. Non-light pipe text is centered on the button cap	es a completed Custom Text Order Form. Text will be postions about your order, please contact your Customer be in the original editable PDF format. They may NOT be - Light Pipe - Color	EXAMPLE: - *All Cu	BTA-V-L-N-GY-CT-CUF Custom Text ustom Text (CT) must be
1. Complete this Custom Text form including year. 2. Each -CT, custom button cap request require all capital letters. 3. Submit a PO and the form on Oasis. For que *Order forms provided to customer service must Ordering part numbers (NX) CATALOG # Model - Device - Size BTD N *Notes: Light Pipe text starts at the light pipe and progresses right. Non-light pipe text is centered on the button cap	es a completed Custom Text Order Form. Text will be postions about your order, please contact your Customer be in the original editable PDF format. They may NOT be - Light Pipe - Color	EXAMPLE: - *All Cu	BTA-V-L-N-GY-CT-CUF Custom Text ustom Text (CT) must be
2. Each -CT, custom button cap request requirall capital letters. 3. Submit a PO and the form on Oasis. For que *Order forms provided to customer service must Ordering part numbers (NX) CATALOG # Model - Device - Size BTD N *Notes: • Light Pipe text starts at the light pipe and progresses right.	es a completed Custom Text Order Form. Text will be postions about your order, please contact your Customer be in the original editable PDF format. They may NOT be - Light Pipe - Color	EXAMPLE: - *All Cu	BTA-V-L-N-GY-CT-CUF Custom Text ustom Text (CT) must be
1. Complete this Custom Text form including year. 2. Each -CT, custom button cap request require all capital letters. 3. Submit a PO and the form on Oasis. For que *Order forms provided to customer service must Ordering part numbers (NX) CATALOG # Model - Device - Size BTD N *Notes: Light Pipe text starts at the light pipe and progresses right. Non-light pipe text is centered on the button cap	es a completed Custom Text Order Form. Text will be postions about your order, please contact your Customer be in the original editable PDF format. They may NOT be - Light Pipe - Color	EXAMPLE: - *All Cu	BTA-V-L-N-GY-CT-CUF Custom Text ustom Text (CT) must be




Signature ___

_ Date __

BTD-N-L-P-(x)-CT-

*All Custom Text (CT) must be written in **all caps**



* (x) INDICATES THE WALL STATION DEVICE NAME

*PRINTED PART NO.	BUTTON PART NO.	BUTTON COLOR	IMAGE COLOR
BTD-(x)-L-P-WH-	30-00583-01	WHITE	BLACK
BTD-(x)-L-P-GY-	30-00583-03	GRAY	BLACK
BTD-(x)-L-P-LA-	30-00583-04	LIGHT ALMOND	BLACK
BTD-(x)-L-P-BK-	30-00583-05	BLACK	WHITE
BTD-(x)-L-P-IV-	30-00583-07	IVORY	BLACK
BTD-(x)-L-P-RD-	30-00583-10	RED	WHITE

NOTES:

- 1. CURRENT TO PROVIDE IMAGE SOFTWARE FILE (*.ai OR .EPS).
- LIGHT PIPE IS TO ALWAYS BE ON THE LEFT OF TEXT ORIENTATION
- 3. POSITION IMAGE ON BUTTON AS SHOWN -CENTERED TEXT SHOWN AS REF.
- 4. IMAGE TO BE FREE OF SMEARS, SMUDGES AND FOREIGN MATERIALS.

Current @


DUTTON LABELED W/LICHTDIDE

BOI	ION LABELED W/LIGHTPIPE		
SIZE	DWG NO		REV
Α	30-00583-xx_		Α
SCALE:	WEIGHT:	SHEET	1 OF 1

SHEET 1 OF 1

BTD-N-L-N-(x)-CT-

*All Custom Text (CT) must be written in **all caps**



*PRINTED PART NO.	BUTTON PART NO.	BUTTON COLOR	IMAGE COLOR
PRINTED PART NO.	BOTTON PART NO.	BOTTON COLOR	IIVIAGE COLOR
BTD-(x)-L-N-WH-	30-00419-01	WHITE	BLACK
BTD-(x)-L-N-GY-	30-00419-03	GRAY	BLACK
BTD-(x)-L-N-LA-	30-00419-04	LIGHT ALMOND	BLACK
BTD-(x)-L-N-BK-	30-00419-05	BLACK	WHITE
BTD-(x)-L-N-IV-	30-00419-07	IVORY	BLACK
BTD-(x)-L-N-RD-	30-00419-10	RED	WHITE

NOTES:

- 1. CURRENT TO PROVIDE IMAGE SOFTWARE FILE (*.ai OR .EPS).
- 2. POSITION IMAGE ON BUTTON AS SHOWN -CENTERED TEXT SHOWN AS REF.
- 3. IMAGE TO BE FREE OF SMEARS, SMUDGES AND FOREIGN MATERIALS.

Current @

TITLE


RLITTON LARFLED

REV
A

SCALE: WEIGHT: SHEET 1 OF 1

BTD-N-S-P-(x)-CT-

*All Custom Text (CT) must be written in **all caps**



* (x) INDICATES THE WALL STATION DEVICE NAME

*PRINTED PART NO.	BUTTON PART NO.	BUTTON COLOR	IMAGE COLOR
BTD-(x)-S-P-WH-	30-00582-01	WHITE	BLACK
BTD-(x)-S-P-GY-	30-00582-03	GRAY	BLACK
BTD-(x)-S-P-LA-	30-00582-04	LIGHT ALMOND	BLACK
BTD-(x)-S-P-BK-	30-00582-05	BLACK	WHITE
BTD-(x)-S-P-IV-	30-00582-07	IVORY	BLACK
BTD-(x)-S-P-RD-	30-00582-10	RED	WHITE

NOTES:

- 1. CURRENT TO PROVIDE IMAGE SOFTWARE FILE (*.ai OR .EPS).
- 2. LIGHT PIPE IS TO ALWAYS BE ON THE LEFT OF TEXT ORIENTATION
- 3. POSITION IMAGE ON BUTTON AS SHOWN -CENTERED TEXT SHOWN AS REF.
- 4. IMAGE TO BE FREE OF SMEARS, SMUDGES AND FOREIGN MATERIALS.

Current @

TITLE


BUTTON LABELED W/LIGHTPIPE

WEIGHT:

)	1011 2 102220 11/2101111112	
SIZE	DWG NO	REV
Α	30-00582-xx_	Α

SHEET 1 OF 1

BTD-N-S-N-(x)-CT*All Custom Text (CT) must be written in all caps



*PRINTED PART NO.	BUTTON PART NO.	BUTTON COLOR	IMAGE COLOR
BTD-(x)-S-N-WH-	30-00388-01	WHITE	BLACK
BTD-(x)-S-N-GY-	30-00388-03	GRAY	BLACK
BTD-(x)-S-N-LA-	30-00388-04	LIGHT ALMOND	BLACK
BTD-(x)-S-N-BK-	30-00388-05	BLACK	WHITE
BTD-(x)-S-N-IV-	30-00388-07	IVORY	BLACK
BTD-(x)-S-N-RD-	30-00388-10	RED	WHITE

NOTES:

- CURRENT TO PROVIDE IMAGE SOFTWARE FILE (*.ai OR .EPS).
- 2. POSITION IMAGE ON BUTTON AS SHOWN -CENTERED TEXT SHOWN AS REF.
- 3. IMAGE TO BE FREE OF SMEARS, SMUDGES AND FOREIGN MATERIALS.

Current @

TITLE

BULLON TABELED				
REV				
A				
_				

SCALE: WEIGHT: SHEET 1 OF 1