

# LED Replacement Lamps

## LED PAR16 Directional Lamp



Project Name \_\_\_\_\_

Date \_\_\_\_\_ Type \_\_\_\_\_

Notes \_\_\_\_\_

The bright white radiance of the Current's LED PAR16 lamps isn't just something you see, it's something you feel. For accent lighting applications, dimmable 6-watt LED PAR16 lamps offer the ideal solution.

### PERFORMANCE HIGHLIGHTS:

PAR16 Lamps	
<b>Light Output Range:</b>	380 Lumens
<b>CRI:</b>	80
<b>CCT:</b>	3000K
<b>Input Voltage:</b>	120
<b>Efficiency:</b>	Up to 63 LPW
<b>Wattage:</b>	6W
<b>Life:</b>	25,000 hours L70
<b>Temperature Rating:</b>	-20°C to 45°C
<b>Rating:</b>	Dry
<b>Dimmable:</b>	Dims from 100% to 10%

### LIMITED WARRANTY

3 Years

### FEATURES:

- Halogen-like color
- Available in 35° beam pattern
- These lamps are energy efficient, contain no lead or mercury, and are compliant with material restriction requirements of RoHS

### BENEFITS:

- **Energy + Cost Savings**  
Energy efficiency and long life mean fewer lamp replacements versus standard incandescent and halogen light sources

### LEARN MORE:

To learn more about saving money and energy, go to [www.gecurrent.com](http://www.gecurrent.com).

Information provided is subject to change without notice. Please verify all details with Current. All values are design or typical values when measured under laboratory conditions, and Current makes no warranty or guarantee, expressed or implied, that such performance will be obtained under end-use conditions.

# LED Replacement Lamps

## LED PAR16 Directional Lamp

### Spec Table

Project Name \_\_\_\_\_

Date \_\_\_\_\_ Type \_\_\_\_\_

Notes \_\_\_\_\_

Base Type	Order Type	Watts	Code	Description	Case Volts	MOL Qty**	Lumens (In)	Initial	Color CBCP	Temp	CRI	Wattage Replacement	*Rated Life L70 (Hrs)	Dimmable	ENERGY STAR® Status	# Location Rating	Additional Information
<b>COMPACT PAR16</b>																	
PAR 16	GU10	6	26384	LED6D/P16/NFLTP	120	3	2.8	380	1100	3000	80	60	25,000	Yes	★	Dry	Flood, 35° beam, White

Information provided is subject to change without notice. Please verify all details with Current. All values are design or typical values when measured under laboratory conditions, and Current makes no warranty or guarantee, expressed or implied, that such performance will be obtained under end-use conditions.

\* The life rating is based on the hours of operation the lamp will provide before reaching 70% of its original rating (L70)

\*\* Minimum order quantity = 6

★ ENERGY STAR® status: ENERGY STAR® certified. Lamps without a "★" are not ENERGY STAR® certified.

# UL 1993 Environmental Requirements for LED LAMPS

Location, damp – Exterior or interior location that is normally or periodically subject to condensation of moisture in, on, or adjacent to, electrical equipment, and includes partially protected locations.

Location, dry – Location not normally subject to dampness, may include a location subject to temporary dampness, i.e., building under construction, provided ventilation is adequate to prevent an accumulation of moisture.

Location, wet – Location in which water or other liquid can drip, splash, or flow on or against electrical equipment.

Notes: 1) Product descriptions ending in "/TP" indicate a carded blister or clamshell package nested in a tray for shelf display. Cards also designed for hook display.