

# LCAT12

1' x 2' LED CONTEMPORARY ARCHITECTURAL TROFFER

**90 CRI DELIVERED LUMENS** [\(Go to full LCAT 12 spec sheet\)](#)

LCAT 12 Product Availability 90 CRI				
Lumen Package	Shielding	Lumens	Input Watts	LPW
LCAT12-930VW	Curve	1328	14	98
LCAT12-930VWx-R	Rectangle	1322	13	99
LCAT12-935VW	Curve	1356	14	100
LCAT12-935VWx-R	Rectangle	1350	13	101
LCAT12-940VW	Curve	1385	14	103
LCAT12-940VWx-R	Rectangle	1379	13	103
LCAT12-950VW	Curve	1476	14	109
LCAT12-950VWx-R	Rectangle	1469	13	110
LCAT12-930MW	Curve	1735	18	97
LCAT12-930MWx-R	Rectangle	1720	18	97
LCAT12-935MW	Curve	1773	18	100
LCAT12-935MWx-R	Rectangle	1756	18	99
LCAT12-940MW	Curve	1810	18	102
LCAT12-940MWx-R	Rectangle	1794	18	101
LCAT12-950MW	Curve	1928	18	108
LCAT12-950MWx-R	Rectangle	1911	18	107
LCAT12-930LW	Curve	2274	23	101
LCAT12-930LWx-R	Rectangle	2253	23	100
LCAT12-935LW	Curve	2328	23	103
LCAT12-935LWx-R	Rectangle	2301	23	102
LCAT12-940LW	Curve	2381	23	105
LCAT12-940LWx-R	Rectangle	2351	23	104
LCAT12-950LW	Curve	2515	23	111
LCAT12-950LWx-R	Rectangle	2504	23	111
LCAT12-930ML	Curve	2831	29	98
LCAT12-930MLx-R	Rectangle	2808	29	98
LCAT12-935ML	Curve	2898	29	101
LCAT12-935MLx-R	Rectangle	2867	29	100
LCAT12-940ML	Curve	2964	29	103
LCAT12-940MLx-R	Rectangle	2929	29	102
LCAT12-950ML	Curve	3131	29	109
LCAT12-950MLx-R	Rectangle	3120	29	108
LCAT12-930HL	Curve	3047	32	96
LCAT12-930HLx-R	Rectangle	2858	32	90
LCAT12-935HL	Curve	3118	32	99
LCAT12-935HLx-R	Rectangle	2918	32	92
LCAT12-940HL	Curve	3190	32	101
LCAT12-940HLx-R	Rectangle	2981	32	94
LCAT12-950HL	Curve	3369	32	107
LCAT12-950HLx-R	Rectangle	3175	32	100

**LCAT14**

1' x 4' LED CONTEMPORARY ARCHITECTURAL TROFFER

**90 CRI DELIVERED LUMENS** [\(Go to full LCAT 14 spec sheet\)](#)

LCAT 14 Product Availability 90 CRI				
Lumen Package	Shielding	Lumens	Input Watts	LPW
LCAT14-930XW	Curve	2105	21	102
LCAT14-930XWx-R	Rectangle	2039	21	99
LCAT14-935XW	Curve	2150	21	104
LCAT14-935XWx-R	Rectangle	2082	21	101
LCAT14-940XW	Curve	2197	21	107
LCAT14-940XWx-R	Rectangle	2127	21	103
LCAT14-950XW	Curve	2340	21	114
LCAT14-950XWx-R	Rectangle	2266	21	110
LCAT14-930VW	Curve	2674	28	97
LCAT14-930VWx-R	Rectangle	2591	28	94
LCAT14-935VW	Curve	2738	28	100
LCAT14-935VWx-R	Rectangle	2645	28	96
LCAT14-940VW	Curve	2801	28	102
LCAT14-940VWx-R	Rectangle	2702	28	98
LCAT14-950VW	Curve	2958	28	108
LCAT14-950VWx-R	Rectangle	2878	28	105
LCAT14-930MW	Curve	3107	32	96
LCAT14-930MWx-R	Rectangle	3118	32	97
LCAT14-935MW	Curve	3180	32	98
LCAT14-935MWx-R	Rectangle	3183	32	99
LCAT14-940MW	Curve	3254	32	101
LCAT14-940MWx-R	Rectangle	3252	32	101
LCAT14-950MW	Curve	3437	32	106
LCAT14-950MWx-R	Rectangle	3464	32	107
LCAT14-930LW	Curve	3720	36	103
LCAT14-930LWx-R	Rectangle	3611	36	100
LCAT14-935LW	Curve	3808	36	106
LCAT14-935LWx-R	Rectangle	3686	36	102
LCAT14-940LW	Curve	3895	36	108
LCAT14-940LWx-R	Rectangle	3766	36	105
LCAT14-950LW	Curve	4113	36	114
LCAT14-950LWx-R	Rectangle	4011	36	111
LCAT14-930ML	Curve	4158	38	109
LCAT14-930MLx-R	Rectangle	4039	38	105
LCAT14-935ML	Curve	4247	38	111
LCAT14-935MLx-R	Rectangle	4124	38	108
LCAT14-940ML	Curve	4339	38	113
LCAT14-940MLx-R	Rectangle	4213	38	110
LCAT14-950ML	Curve	4621	38	121
LCAT14-950MLx-R	Rectangle	4487	38	117
LCAT14-930HL	Curve	4656	43	107
LCAT14-930HLx-R	Rectangle	4471	44	103
LCAT14-935HL	Curve	4756	43	110
LCAT14-935HLx-R	Rectangle	4567	44	105
LCAT14-940HL	Curve	4859	43	112
LCAT14-940HLx-R	Rectangle	4665	44	107
LCAT14-950HL	Curve	5175	43	119
LCAT14-950HLx-R	Rectangle	4969	44	114
LCAT14-930VL	Curve	5621	58	97
LCAT14-930VLx-R	Rectangle	5615	58	97
LCAT14-935VL	Curve	6192	59	105
LCAT14-935VLx-R	Rectangle	5735	58	99
LCAT14-940VL	Curve	6283	59	107
LCAT14-940VLx-R	Rectangle	5859	58	101
LCAT14-950VL	Curve	6450	59	110
LCAT14-950VLx-R	Rectangle	6240	58	108

**LCAT22**

2' x 2' LED CONTEMPORARY ARCHITECTURAL TROFFER

**90 CRI DELIVERED LUMENS** [\(Go to full LCAT22 spec sheet\)](#)

LCAT 22 Product Availability 90 CRI				
Lumen Package	Shielding	Lumens	Input Watts	LPW
LCAT22-930VW	Curve	1342	13	100
LCAT22-930VWx-R	Rectangle	1313	13	98
LCAT22-935VW	Curve	1371	13	102
LCAT22-935VWx-R	Rectangle	1341	13	100
LCAT22-940VW	Curve	1400	13	104
LCAT22-940VWx-R	Rectangle	1370	13	102
LCAT22-950VW	Curve	1492	13	111
LCAT22-950VWx-R	Rectangle	1459	13	109
LCAT22-930MW	Curve	1744	17.7	99
LCAT22-930MWx-R	Rectangle	1714	17.7	97
LCAT22-935MW	Curve	1781	18	101
LCAT22-935MWx-R	Rectangle	1750	18	99
LCAT22-940MW	Curve	1819	18	103
LCAT22-940MWx-R	Rectangle	1788	18	101
LCAT22-950MW	Curve	1938	18	109
LCAT22-950MWx-R	Rectangle	1905	18	108
LCAT22-930LW	Curve	2286	23	101
LCAT22-930LWx-R	Rectangle	2263	23	100
LCAT22-935LW	Curve	2339	23	103
LCAT22-935LWx-R	Rectangle	2311	23	102
LCAT22-940LW	Curve	2393	23	106
LCAT22-940LWx-R	Rectangle	2361	23	104
LCAT22-950LW	Curve	2527	23	112
LCAT22-950LWx-R	Rectangle	2515	23	111
LCAT22-930ML	Curve	2821	29	98
LCAT22-930MLx-R	Rectangle	2778	29	97
LCAT22-935ML	Curve	2888	29	101
LCAT22-935MLx-R	Rectangle	2836	29	99
LCAT22-940ML	Curve	2954	29	103
LCAT22-940MLx-R	Rectangle	2897	29	101
LCAT22-950ML	Curve	3121	29	109
LCAT22-950MLx-R	Rectangle	3086	29	108
LCAT22-930HL	Curve	3123	32	98
LCAT22-930HLx-R	Rectangle	3012	32	95
LCAT22-935HL	Curve	3190	32	100
LCAT22-935HLx-R	Rectangle	3076	32	97
LCAT22-940HL	Curve	3259	32	102
LCAT22-940HLx-R	Rectangle	3142	32	99
LCAT22-950HL	Curve	3471	32	109
LCAT22-950HLx-R	Rectangle	3347	32	106
LCAT22-930VL	Curve	4289	39	110
LCAT22-930VLx-R	Rectangle	3767	40	93
LCAT22-935VL	Curve	4381	39	113
LCAT22-935VLx-R	Rectangle	3848	40	95
LCAT22-940VL	Curve	4476	39	115
LCAT22-940VLx-R	Rectangle	3930	40	97
LCAT22-950VL	Curve	4767	39	123
LCAT22-950VLx-R	Rectangle	4187	40	104

**LCAT24**

2' x 4' LED CONTEMPORARY ARCHITECTURAL TROFFER

**90 CRI DELIVERED LUMENS** [\(Go to full LCAT24 spec sheet\)](#)

LCAT 24 Product Availability 90 CRI				
Lumen Package	Shielding	Lumens	Input Watts	LPW
LCAT24-930XW	Curve	2142	20	106
LCAT24-930XWx-R	Rectangle	2212	20	109
LCAT24-935XW	Curve	2187	20	108
LCAT24-935XWx-R	Rectangle	2259	20	111
LCAT24-940XW	Curve	2234	20	110
LCAT24-940XWx-R	Rectangle	2308	20	114
LCAT24-950XW	Curve	2380	20.3	117
LCAT24-950XWx-R	Rectangle	2458	20.3	121
LCAT24-930VW	Curve	2655	28	96
LCAT24-930VWx-R	Rectangle	2740	28	97
LCAT24-935VW	Curve	2717	28	98
LCAT24-935VWx-R	Rectangle	2799	28	99
LCAT24-940VW	Curve	2780	28	101
LCAT24-940VWx-R	Rectangle	2859	28	101
LCAT24-950VW	Curve	2936	28	106
LCAT24-950VWx-R	Rectangle	3045	28	108
LCAT24-930MW	Curve	2859	30	95
LCAT24-930MWx-R	Rectangle	2953	30	98
LCAT24-935MW	Curve	2926	30	97
LCAT24-935MWx-R	Rectangle	3015	30	100
LCAT24-940MW	Curve	2993	30	99
LCAT24-940MWx-R	Rectangle	3080	30	102
LCAT24-950MW	Curve	3161	30	105
LCAT24-950MWx-R	Rectangle	3280	30	109
LCAT24-930LW	Curve	3628	36	100
LCAT24-930LWx-R	Rectangle	3759	36	104
LCAT24-935LW	Curve	3713	36	103
LCAT24-935LWx-R	Rectangle	3838	36	106
LCAT24-940LW	Curve	3798	36	105
LCAT24-940LWx-R	Rectangle	3920	36	109
LCAT24-950LW	Curve	4012	36	111
LCAT24-950LWx-R	Rectangle	4175	36	116
LCAT24-930ML	Curve	4055	39	105
LCAT24-930MLx-R	Rectangle	4186	39	108
LCAT24-935ML	Curve	4150	39	107
LCAT24-935MLx-R	Rectangle	4274	39	110
LCAT24-940ML	Curve	4246	39	109
LCAT24-940MLx-R	Rectangle	4366	39	113
LCAT24-950ML	Curve	4484	39	116
LCAT24-950MLx-R	Rectangle	4651	39	120
LCAT24-930HL	Curve	4810	43	112
LCAT24-930HLx-R	Rectangle	4704	43	109
LCAT24-935HL	Curve	4913	43	114
LCAT24-935HLx-R	Rectangle	4803	43	111
LCAT24-940HL	Curve	5019	43	116
LCAT24-940HLx-R	Rectangle	4907	43	114
LCAT24-950HL	Curve	5346	43	124
LCAT24-950HLx-R	Rectangle	5227	43	121

LCAT 24 Product Availability 90 CRI (continued)				
Lumen Package	Shielding	Lumens	Input Watts	LPW
LCAT24-930VL	Curve	5883	58	102
LCAT24-930VLx-R	Rectangle	5912	58	103
LCAT24-935VL	Curve	6007	58	104
LCAT24-935VLx-R	Rectangle	6036	58	105
LCAT24-940VL	Curve	6136	58	107
LCAT24-940VLx-R	Rectangle	6166	58	107
LCAT24-950VL	Curve	6537	58	114
LCAT24-950VLx-R	Rectangle	6568	58	114
LCAT24-930XL	Curve	7058	75	95
LCAT24-930XLx-R	Rectangle	6895	75	92
LCAT24-935XL	Curve	7207	75	97
LCAT24-935XLx-R	Rectangle	7043	75	94
LCAT24-940XL	Curve	7362	75	99
LCAT24-940XLx-R	Rectangle	7194	75	96
LCAT24-950XL	Curve	7842	75	105
LCAT24-950XLx-R	Rectangle	7664	75	103