KIMLIGHTING[®]

HA03

POST TOP SWEPT CAST ARM

Type: Job:

Ordering Example:

1A / AE17H3 / 150PMH277 / LG-P / HA03S-TM1

Mtg. Fixture Elec Module

Finish Option

Ordering Information


Always refer to the specific luminaire catalog, and the ordering information page within that catalog. Place the optional Heritage Arm catalog number as an "Option" following the Fixture catalog numbers.

Approvals:


Specifications

HA03L Large Arm

for Kim RA25, AE21, BE21, and LET26 fixtures only.



HA03S Small Arm



Arm: Cast aluminum arm and pole top fitter. Pole top fitter secured to an internal extruded pole adaptor with stainless steel bolts. Arm is secured to the pole top fitter with stainless steel bolts. Cast arm is open for access to wiring connections and mounting bolts, and enclosed by a flush mounted cast aluminum cover secured with stainless steel screws. Arm-to-luminaire attachment is by concealed stainless steel rods, projecting into the fixture where nuts and washers secure the mounting. Small arm utilizes 3/8" studs and large arm utilizes 1/2" studs.

Finish: Premium Super TGIC thermoset polyester powder coating, 2.5 mil nominal thickness, applied over a titanated zirconium conversion coating. Arm color is always provided to match the selected pole and luminaire color.

Optional Finial not available.

Optional Wall Mount not available.

Optional Tenon Mount (See page 2)

NOTES:

- 1) Refer to page **75** of Arms and Poles Selection Guide for wind map and application information.
- 2) Refer to pages **78** and **79** of Arms and Poles Selection Guide for luminaire Optical Centerline Matrix.
- 3) A regularly scheduled maintenance program must be established to insure paint coating is intact, corrosion or structural damage has not occurred, and all mounting rods, nuts and bolts are tight. Failure to do so could lead to damage or serious personal injury.



HA03

POST TOP SWEPT CAST ARM

Type: Job:

Standard Features


| ERA® Arm | Arm/Fixture | Mounting Configuration | | | | |
|----------|-------------------|------------------------|-----|-----|-----|-----|
| HA03 | | Plan View: | •- | ••• | ••• | •}• |
| | | Cat. No.: | 1A | 2B | 3Y | 4C |
| | Large | EPA: | | | | |
| | HA03L - RA25 | | 1.9 | 3.8 | 5.0 | 5.5 |
| | HA03L - AE21/BE21 | | 1.8 | 3.6 | 4.7 | 5.1 |
| | HA03L - LET26 | | 2.0 | 4.0 | 5.2 | 6.0 |
| | Small | | | | | |
| | HA03S - RA17 | | 1.3 | 2.6 | 3.4 | 3.7 |
| | HA03S - AE17/BE17 | | 1.2 | 2.4 | 3.1 | 3.4 |
| | HA03S - LET19 | | 1.5 | 3.0 | 4.0 | 4.5 |

Optional Feature

Tenon Mount (Poles by others)


NOTE: All small arm assemblies require a steel 2" pipe tenon (2%" O.D.) x 4" long.

All large arm assemblies require a steel $2\frac{1}{2}$ pipe tenon $(2\frac{7}{8}$ O.D.) x 4" long.



Post Top Swept Cast Arm - Small

| Cat. No. | Mounting | |
|-----------|----------|--|
| HA03S-TM1 | 1A | |
| HA03S-TM2 | 2B | |
| HA03S-TM3 | 3Y | |
| HA03S-TM4 | 4C | |



Post Top Swept Cast Arm - Large

| Cat. No. | Mounting | |
|-----------|----------|--|
| HA03L-TM1 | 1A | |
| HA03L-TM2 | 2B | |
| HA03L-TM3 | 3Y | |
| HA03L-TM4 | 4C | |